### RAPID ALUMINIUM

#### PRODUCT & SYSTEMS CATALOGUE



2023



RAPID ALUMINUM

The experts in aluminium profiles & extrusions Industry preferred aluminium supplier for both quality and service.

MELBOURNE (Head Office) 27 Nathan Road Dandenong VIC 3175

PH: (03) 9792 0344 FAX: (03) 9792 4954

Email: sales@rapidal.com.au



#### POWDERCOATING - MINIMUM INVOICE

ALL Powdercoat orders with a total order value under \$1,000+gst will incur a min surcharge fee. This fee will be at the discretion of Rapid Aluminium based on the availability and price of the powder required to complete the order.

For further pricing information contact the sales team.

20 year powder coating warranty now available



#### **ANODISED & MILL FINISH MATERIAL**

ALL Anodised and Mill Finish orders placed with Rapid Aluminium for PICKUP must be ordered with at least 24hrs of notice prior to pick up required.

#### **CUTTING SERVICE**

A fee of \$6.50+gst per cut applies. Please advise us via email if this service is required prior to pick up of goods/order. (Phone instructions will not be accepted) The cutting service is ONLY for "docking" the material and is NOT millimetre perfect. This service will not be provided after the order transaction is complete.

#### **CONDITIONS OF SALE**

All goods sold by Rapid Aluminium to the purchaser shall remain the absolute property of Rapid Aluminium and no right, title or transfer of interest of any kind shall transfer to the purchaser until payment in full is made to Rapid Aluminium in respect of the goods. (PRICES ARE SUBJECT TO CHANCE WITHOUT PRIOR NOTICE)

If it becomes necessary to institute legal proceedings to recover unpaid debts to Rapid Aluminium, all discounts showing on unpaid invoices become null and void and the total list price becomes payable. Full Terms and Conditions of Sale appear on the reverse of all invoices (see over).

#### **RETURNS / CREDIT CLAIMS**

- Goods being returned will not be accepted without prior approval from management at Rapid Aluminium.
- Invoice number, PO number and date are required on all claims.
- Freight costs on returned goods must be paid by the sender.
- All claims for loss, damage, shortages or price differences must be made within 7 days after invoice.
- Custom made or specially ordered goods are NON-RETURNABLE and NON-REFUNDABLE.

#### **DELIVERY SERVICE**

A delivery service is available – please enquire on the cost when placing your order.



#### MANUFACTURING & ESTIMATING SOFTWARE SUPPORT

We are proud to announce that the RAPID ALUMINIUM PROFILES are now supported by LOGIKAL by ORGADATA. We are excited to show you what it can do and how it can help improve your business in more ways than you think. LOGIKAL is the best software for windows, doors & curtain wall systems in the market today.

It is the software solution you have been waiting for... Estimating projects made easy, with a user-friendly layout and an intuitive user interface that will surely be welcomed by learners regardless of age and background. It's going to be easy and quick to Quote, Order, Produce and create Shop drawings with LOGIKAL.



#### **KEY BENEFITS & FEATURES**


- Estimating Quote with ease and present pricing to your client with your very own personalised Quote report.
- Fabrication reports Produce professional detailed and accurate information for assembling and cutting with a simple click of a button. All reports are customizable to your own needs & requirements.
- CNC connection (coming soon) Pre-program and customize CNC data communicated directly to your CNC machinery,
   improving efficiency, saving you time & money not to mention avoiding costly errors.
- Structural Analysis You get to define profiles to be used in different scenarios and see how design changes affect your Elevation
  in real-time.
- Shop Drawing Gives you the ability to produce detailed cross-sectional Shop drawings automatically generated from your selected items.
- Measure on site with App Bring your project to your phone or tablet, change sizes and send the information back to LogiKal.
   Project changes are automatically updated in real-time.




For more information send an email to info@orgadata.com.au or contact your support team at RAPID ALUMINIUM







































		150mm F	LUSH GLAZ	ZE (100mm	X 50mm)		
90	RA261 150mm SG FRAME	RA265 FLAT FILLER	RA262 SG BOX TRANSOM	RA266 FEMALE MULLION	RA267 MALE MULLION		90
91	RA271 150mm DG FRAME	RA272 DG BOX TRANSOM	RA276 DG FEMALE MULLION	RA268 BLIND FEMALE MULLION	CF652 SELF MATING MULLION		91
92	RA278 DG SUBSILL	RA279 SG SUBSILL	RA280 SG SUBHEAD	RA281 DG SUBHEAD	CF685 150mm Plain Frame		92
		FLUSH GLA	AZE CAPS (	& PLANT O	N ADDITION	S	
93	CF243 16mm SNAP COVER	CF244 16mm COVER RETURN	CF256 20mm SNAP COVER	CF257 20mm RETURN COVER	CF254 16mm DG RETURN COVER	CF253 DG ADAPTOR	93
94	CF250 SG PLANT ON BASE	CF260 DG PLANT ON BASE					94
		INSE	ERTIONS - A	WNING SA	SHES		
98	CF415 35mm GROOVED SASH	CF415B	CF417 SG SASH BEAD	CF016 DG SASH BEAD	CF475 35mm GROOVED SASH	CF475B 35mm FLAT FACE SASH	98
99	CF460H SASH HINGE	CF435 35mm SLOPED SASH	CF414 SASH BEAD	CFH3 35mm SASH STAKE			99
100	CF4515 50mm SASH	CF4517 50mm SASH BEAD	CF417 SASH BEAD	CF016 DG SASH BEAD	CFH50 50mm SASH STAKE		100





	INSEF	RTIONS - 9	000 DOOR SE	RIES SING	LE GLAZE	44mm	
PAGE							PAGE
103	CF907 SG PLAIN STILE	CF908 SG SLIDING STILE	CF909 SG HINGE STILE	CF910 SG LOCK STILE	CF911 SG MEETING STILE	CF912 SG PIVOT STILE	103
104	CF001 SG SLIDING STILE	CF002 SG HINGE STILE	CF003 SG LOCK STILE	CF004 SG PIVOT STILE	CF005 SG PLAIN STILE	CF006 SG MEETING STILE	104
105	CF411 SG TOP RAIL	CF412 SG BOTTOM RAIL	CF413 SG 123mm MID RAIL	CF414 SG BEAD	CF426 SG 45mm RAIL	CF448 BOTTOM RAIL BUG STRIP	105
	INSERT	ΓΙΟΝS - 90	0 DOOR SER	RIES DOUBI	E GLAZED	44mm	
106	CF917 DG PLAIN STILE	CF918 DG SLIDING STILE	CF919 DG HINGE STILE	CF920 DG LOCK STILE	CF921 DG MEETING STILE	CF922 DG PIVOT STILE	106
107	CF021 DG SLIDING STILE	CF022 DG HINGE STILE	CF023 DG LOCK STILE	CF024 DG PIVOT STILE	CF025 DG PLAIN STILE	CF026 DG MEETING STILE	107
108	CF931 DG TOP RAIL	CF932 DG BOTTOM RAII	CF933 DG100mm MID RAIL	DG150mm MID RAIL	SF061 DG DOOR BEAD	CF448 BOTTOM RAIL BUG STRIP	108
	D	OOR & GI	AZING CHA	NNELS MIIS	SCELLANEC	ous	
110	CF421 TRACK INSERT	CF422 FLOOR GUIDE		429 CF441 DOOR STOP INTERLOCK ADJ		CF447 RECEIVER COVER	110
111	CF445 PLANT SINGLE TRACK PL	MEE	CF455 ETING STILE APTOR  CF4 TOP TE	TRACK	OVERHEAD TRACK	END CAP CFH453EC	111
113	CF015 24mm 2 PIECE BASE 2 P	CF016 JECE BEAD	CF017 CF0 50mm 2 PII	GF417			113




	LOUVRES	
PAGE		PAGE
114	LV001 LF001 LV050 S0mm LOUVRE FRAME S0mm LOUVRE FRAME COUVRE FRAME COU	114
115	LV9517 LF436 LV100 LV101 SUBSTATION LOUVRE NARROW PLAIN FRAME 100mm LOUVRE 100mm LOUVRE FRAME	115
	PARTITIONING - 800 SERIES: 100mm (TO SUIT 64mm STUD)	
123	CFP810 CEILING CHANNEL CFP812 CFP811 DOOR FRAME WITH LEGS CFP803 WINDOW SILL WINDOW FRAME CFP805 GLAZING ADAPTOR	123
124	CFP804 SILL BEAD  CFP806R POCKET FILLER  CFP807 45mm DOOR STOP 35mm DOOR STOP	124
	PARTITIONING - 900 SERIES: 131mm (TO SUIT 90mm STUD)	
125	CFP900 CFP901 CFP902 CFP903 CFP904 CFP905 GLAZING ADAPTOR	125
126	CFP907 45mm DOOR STOP  CFP909 38mm DOOR STOP  CF306 POCKET FILLER	126
	PARTITIONING - 600 SERIES: 190mm (TO SUIT 64mm STUD)	
128	CFP601 WINDOW FRAME CEILING CHANNEL CEILING CH	128













#### **HEADS, SILL TRACKS & RECEIVER**









30.5







#### RSW401 - 101.6mm Window Head

(Accepts: BW404, BW444, CF405, CF470, CF704, CF704L, ALL 4"

Fixing Adaptors & Accepts: CFH81)

Length Offered Finishes

Mill / Natural Anodised / Powdercoated 5.1mtr

#### RSW402 - 101.6mm Snap in Head

(Accepts: ALL 4" Frame Sills)

(Accepts: CFH81)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 5.1mtr

#### RSW403 - 101.6mm Closed Sill Slotted

(Accepts: BW404, BW444, CF405, CF470, CF704, CF704L, ALL 4"

Fixing Adaptors & Accepts: CFH81)

Offered Finishes Length

5.1mtr Mill / Natural Anodised / Powdercoated

#### RSW404 - 101.6mm Double Receiver Channel

(Accepts: CFH80)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 5.4mtr

#### RSW301 - 76mm Window Head

(Accepts: CF304, CF305, CF351, DG314)

(Accepts: CFH81)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 5.1mtr

#### RSW302 - 76mm Window Sill Slotted


(Accepts: CF304, CF305, CF351, DG314) (Accepts:

CFH81)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 5.1mtr

#### **JAMBS, INFILLS & FLYSCREEN ADDITIONS**





(Jamb to be used with RSW404 & CF406

Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated



(Accepts: CF405, CF406, CF470, RAD131)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### CF301 - 76mm Frame (76mm Jamb Option)

(Jamb to be used with RSW404 & CF306)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### **RSW420 - Fly Screen Adaptor**

(Accepts: RSW301, RSW302 RSW401, RSW402, RSW403, RSW404)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated



#### RSW421 - Flat Filler

(Accepts: RSW301, RSW302 RSW401, RSW402, RSW403, RSW404)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated




#### **RSW422 - Fly Screen Adaptor**

(Face fix to RSW421)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated




#### **RSW423 - Clip In Receiver**


(Clips into BW400 series pockets & CFH80)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated







#### SINGLE GLAZE STILES & RAILS TO SUIT 6mm - 12.76mm GLASS

#### RSW408 - SG Lock Stile (16mm Pocket)

8.09

(Accepts: 6mm to 12.76mm Glass)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated




44.8

#### RSW410 - SG Standard Interlock (16mm Pocket)

(Accepts: CFH80, 6mm to 12.76mm Glass)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated




#### RSW412 - SG Boxed Interlock (16mm Pocket)

(Accepts: CFH80, 6mm to 12.76mm Glass)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated




#### RSW406 - SG Rail (16mm Pocket)

(Accepts: 6mm to 12.76mm Glass)

Length Offered Finishes

5.1mtr Mill / Natural Anodised / Powdercoated




#### RSW418 - SG Male Meeting Stile (16mm Pocket)

(Accepts: CFH96, 6mm to 12.76mm Glass)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated




#### RSW414 - SG Female Meeting Stile (16mm Pocket)

(Accepts: CFH80, 6mm to 12.76mm Glass)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated



#### **RSW416 - SG Med Boxed Female Meeting Stile**

(Accepts: CFH80, 6mm to 12.76mm Glass)


Length Offered Finishes


5.4mtr Mill / Natural Anodised / Powdercoated


#### **DOUBLE GLAZE STILES & RAILS TO SUIT 20mm IGU'S**

### 60.8









#### RSW409 - DG Lock Stile

(Accepts: 20mm IGU)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 5.4mtr

#### RSW411 - DG Standard Interlock

(Accepts: CFH80 & 20mm IGU)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 5.4mtr

#### **RSW413 - DG Boxed Interlock**

(Accepts: CFH80 & 20mm IGU)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 5.4mtr

#### RSW407 - DG Rail

(Accepts: 20mm IGU)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 5.1mtr

#### **RSW419 - DG Male Meeting Stile**

(Accepts: CFH96, 20mm IGU)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 5.4mtr

#### **RSW415 - DG Female Meeting Stile**

(Accepts: CFH80, 20mm IGU)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 5.4mtr

#### **RSW417 - DG Med Boxed Female Meeting Stile**


(Accepts: CFH80, 20mm IGU)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 5.4mtr

#### **HARDWARE ITEMS (RUBBERS)**


#### HANDWARE ITEMS (NOBBERS)



Length	Colour
80mtr	Black


#### CFH92 - 10mm-10.76mm Glazing Channel

CFH90 - 6mm-6.76mm Glazing Channel



Length	Colour
100mtr	Black

#### CFH93 - 12mm-12.76mm Glazing Channel



Length	Colour
100mtr	Black

#### **CFH94 - 20mm Glazing Channel**



Length	Colour
100mtr	Black

#### **CFH95 - Drain Flap**



Length	Colour
300mtr	Black

#### **CFH96 - Male/Female Bulb Seal**



Length	Colour
300mtr	Black

#### **HARDWARE ITEMS (MOHAIR & ACCESSORIES)**



#### CFH80 - 6.7 x 4.25 x 4.25 Finseal

(Heights)


Length	Colour
450mtr	Black



#### CFH81 - 6.7 x 5.5 x 5.75 Finseal

(Head & Sill Track)

Length	Colour
400mtr	Black



#### CFH113 - Boxed Interlock End Cap (Top & Bottom)

QTY	Colour
10pr per bag	Black




#### CFH18 - 10mm Hole Plug

QTY	Colour
100 per bag	Black




#### **CFH115 - Drain Slot Plugs**

QTY	Colour
50pcs per bag	Black



#### **CFH110 - Fixed Panel Blocks (Left & Right)**

QTY	Colour
20pr per bag	Black



#### **CFH111 - Sliding Panel Face Blocks (Left & Right)**

QTY	Colour
20pr per bag	Black

#### **HARDWARE ITEMS & ACCESSORIES**

#### CFH38D - 80kg Double Wheel Roller



(2 per moving sash)

QTY

**EACH** 





(2 per moving sash)

QTY

**EACH** 



#### **CFH40 - Fixed Panel Adjustment Block**

(2 per fixed sash)

QTY

**EACH** 




(1 per door)

QTY


**EACH** 





#### 101.6mm Apartment Door



#### **150mm Apartment Door**








**OUR NEW 30.5mm LOW PROFILE SILL TRACK IS AVAILABLE IN BOTH 100mm & 150mm SYSTEMS.** 






#### RAD401 - Head Track (Double)

(Accepts: BW404, BW444, CF405, CF470, RAD115 & ALL 4" Fixing

Reveals) (Accepts: CFH122)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### RAD402 - Sill Track 50mm (Slotted)

(Accepts: RAD115, RAD116)

(Accepts: CFH122)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### RAD404 - Sill Track 30mm (Slotted)

(Accepts: RAD115, RAD116)

(Accepts: CFH122)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### RAD601 - Head Track (Triple)

(Accepts: RA265, RAD115)

(Accepts: CFH122)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### RAD605 - Sill Track 50mm (Slotted)

(Accepts: RAD115, RAD116)

(Accepts: CFH122)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### RAD604 - Sill Track 30mm (Slotted)

(Accepts: RAD115, RAD116)

(Accepts: CFH122)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



# 9.8

## 1 1

#### **JAMBS**

#### BW400 - Standard Frame (101.6 x 44.4)

(Accepts: BW404, BW444, CF405, CF406, CF470, RAD131 & ALL 4" Fixing Reveal Adaptors)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 6.5mtr


#### CF450 - 33mm Standard Frame (101.6 x 33)

(Accepts: CF405, CF406, CF470, RAD131)

Offered Finishes Length

6.5mtr Mill / Natural Anodised / Powdercoated

#### RAD603 - 150mm Plain Jamb (150 x 33)



(Accepts: RA265) To be used with RAD130

Length Offered Finishes

Mill / Natural Anodised / Powdercoated 6.5mtr

### 19.8 44.4 9 .8


#### CF701 - Main Frame DG (101.6 x 44.4)

(Accepts: BW404, BW444, CF405, CF470, CF704, CF706 & ALL 4"

Fixing Reveal Adaptors) CF706 + RAD130 required

Length Offered Finishes

Mill / Natural Anodised / Powdercoated 6.5mtr




#### RAD130 - Jamb Receiver

(To be face fixed to flat jambs)

(Accepts: CFH121)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 6.5mtr



#### **RAD131 - Clip in Jamb Receiver**

(To be used with BW400 & CF450)

(Accepts: CFH121)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 6.5mtr

#### **SINGLE GLAZED STILES & RAIL (16mm POCKET)**


#### RAD105 - SG 72mm Plain Stile

72

(Accepts: 6mm-12.76mm Glass)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **RAD106 - SG Std Interlock**

(Accepts: 6mm-12.76mm Glass)

(Accepts: CFH121)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **RAD107 - SG Medium Boxed Interlock**

(Accepts: 6mm-12.76mm Glass)

(Accepts: CFH121)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **RAD108 - SG HD Boxed Interlock**

(Accepts: 6mm-12.76mm Glass)

(Accepts: CFH121)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### RAD112 - SG 60mm Rail

(Accepts: 6mm-12.76mm Glass)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### **DOUBLE GLAZED STILES & RAIL (30mm POCKET)**


## 72

#### RAD120 - DG 72mm Plain Stile

(Accepts: 24mm-26mm IGU)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **RAD121 - DG Std Interlock**

(Accepts: 24mm-26mm IGU)

(Accepts: CFH121)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **RAD122 - DG Medium Boxed Interlock**

(Accepts: 24mm-26mm IGU)

(Accepts: CFH121)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **RAD123 - DG HD Boxed Interlock**

(Accepts: 24mm-26mm IGU)

(Accepts: CFH121)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### RAD127 - DG 60mm Rail

(Accepts: 24mm-26mm IGU)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### **BEADED RAIL AND CORNER STILES**




#### RAD113 - SG 60mm Beaded Rail

(Accepts: RAD114 Bead & 6mm-12.76mm Glass)

Length Offered Finishes

Mill / Natural Anodised / Powdercoated 6.5mtr





(Accepts: RAD113 SG Rail)

Offered Finishes Length

6.5mtr Mill / Natural Anodised / Powdercoated





Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### RAD129 - DG Bead




(Accepts: RAD128 DG Rail)

Length

Offered Finishes

Mill / Natural Anodised / Powdercoated 6.5mtr

#### RAD117 - 71mm SG Corner Stile




(Accepts: RAD110 Female Stile & 6mm-12.76mm Glass)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 6.5mtr

#### RAD118 - 71mm DG Corner Stile



(Accepts: RAD125 Female Stile & 24mm-26mm Glass)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 6.5mtr

#### MALE & FEMALE STILES SG & DG (BI-PARTING)


## 72

#### RAD109 - SG 72mm Male Stile

(6mm-12.76mm Glass) (Accepts: CFH96)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **RAD110 - SG Female Stile**

(Accepts: 6mm-12.76mm Glass)

(Accepts: CFH121)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **RAD111 - SG H/D Boxed Female Stile**

(Accepts: 6mm-12.76mm Glass)

(Accepts: CFH121)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### RAD124 - DG 72mm Male Stile

(Accepts: 24mm-26mm IGU)

(Accepts: CFH96)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### **RAD125 - DG Female Stile**

(Accepts: 24mm-26mm IGU)

(Accepts: CFH121)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### **RAD126 - DG H/D Boxed Female Stile**


(Accepts: 24mm-26mm IGU)

(Accepts: CFH121)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### **FLAT FILLERS, THRESHOLDS & ADAPTORS**




#### **RAD115 - Flat Filler (Head Track)**

Accepts: RAD130, RAD131, RAD401, RAD601)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **RAD116 - Threshold**

(Accepts: RAD402, RAD404, RAD602, RAD604)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **RA131 - OXO Adaptor**

(To be used with F/S/F doors)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF406 - Pocket Filler

(To be used with BW400 & CF450)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### **CF705 - DG Highlight Adaptor**

(Accepts: RAD401 & RSD501)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### CF452 - SG Highlight Adaptor


(Accepts: RAD401 & RSD501)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

\*\*\*Please note: Images are not to scale\*\*\*
www.rapidal.com.au

#### **SUBSILLS**



#### CF430 - 113mm Slotted Subsill (5.2mm setback)


30.0 (Accepts: 101.6mm Thresholds, CFH13, CFH13D)

Length

Offered Finishes

6.5mtr

Mill / Natural Anodised / Powdercoated



#### CF420 - 120mm Slotted Subsill (12mm setback)


(Accepts: 101.6mm Thresholds, CFH13, CFH13D)

Length

Offered Finishes

6.5mtr

Mill / Natural Anodised / Powdercoated



#### CF431R - 131mm Slotted Subsill (23mm setback)


(Accepts: 101.6mm Thresholds, CFH13, CFH13D)

Length

Offered Finishes

6.5mtr

Mill / Natural Anodised / Powdercoated



#### CF462 - 144mm Slotted Subsill (36mm setback)


(Accepts: 101.6mm Thresholds, CFH13, CFH13D)

Length

Offered Finishes

6.5mtr

Mill / Natural Anodised / Powdercoated



#### CF462N - 148mm Slotted Subsill (36mm setback)


(Accepts: 101.6mm Thresholds, CFH13, CFH13D)

Length

Offered Finishes

6.5mtr

Mill / Natural Anodised / Powdercoated



#### CF630 - 150mm Slotted Subsill (6mm setback)

(Accepts: CFH13 & CFH13D) Suits 150mm Frame


Length

Offered Finishes

6.5mtr

Mill / Natural Anodised / Powdercoated

#### **SUBHEADS & SUB JAMBS**



#### CF437 - Standard Subhead (110mm x 49mm)

(Accepts: CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### CF458 - 2 Piece Subhead (115mm x 50mm)

(Accepts: CF457)

(Accepts: CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

## 48.

#### **CF457 - 2 Piece Subhead Cover (Pressure Bead)**

(Accepts: CF458, CF658) (Accepts: CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF477 - Heavy Duty Subhead (113mm x 40mm)

(Accepts: 101.6mm Frames) (Accepts: CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF637 - 150mm Subhead

(Accepts: CFH13 & CFH13D) Suits 150mm Frame

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### CF658 - 150mm Subhead 2 Piece

(Accepts: CF457) Suits 150mm Frame


(Accepts: CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

\*\*\*Please note: Images are not to scale\*\*\*
www.rapidal.com.au


#### **HARDWARE ITEMS (GLAZING CHANNEL)**






CFH90 - 6mm-6.76mm Glazing Channel





CFH92 -	10mm-1	0.76mm	Glazing	Channel
	TOILILI T	O. / OIIIIII	UIULIIIS	CHAINC

Length	Colour
100mtr	Black



#### CFH93 - 12mm-12.76mm Glazing Channel

Length	Colour
100mtr	Black



#### **CFH94 - 20mm Glazing Channel**

Length	Colour
80mtr	Black



#### CFH29 - 24mm-25mm Glazing Channel

Length	Colour
50mtr	Black



#### **CFH124 - 26mm Glazing Channel**

Length	Colour
50mtr	Black

#### **HARDWARE ITEMS (MOHAIR & ACCESSORIES)**



#### CFH121 - 6.9 x 6.5 Std Finseal

(Heights)

Length	Colour
350mtr	Black



#### **CFH122 - 6.9 x 6.5 High Finseal**


(Head & Sill Track)

Length	Colour
250mtr	Black



#### CFH96 - Male/Female Bulb Seal


QTY Colour 200mtr Black



#### **CFH119 - Med Box End Cap (Med Interlock)**

(Top & Bottom = 1pr)

QTY	Colour
10pr per bag	Black



#### **CFH120 - Large Box End Cap (Large interlock)**

(Top & Bottom = 1pr)

QTY	Colour
10pr per bag	Black





QTY	Colour
100 per bag	Black




#### **CFH115 - Drain Slot Plug**


QTY	Colour	
50 per bag	Black	

#### HARDWARE ITEMS (ACCESSORIES)

#### CFH118 - Threshold / Header Filler Rubber End Stop




50 per bag Black



#### **CFH116 - Fixed Panel Blocks (Left & Right)**

(1 x pair = top & bottom of fixed panel)

QTY Colour 20 prs per bag Black



#### **CFH117 - Sliding Panel Blocks (Left & Right)**

(1 x pair = top & bottom of fixed panel)

QTY Colour
20 prs per bag Black

### (2 pe

#### CFH38D - 80kg Double Wheel Roller

(2 per moving sash)

Each



#### CFH37 - 40kg Single Wheel Roller

(2 per moving sash)

QTY

Each



#### **CFH40 - Fixed Panel Adjustment Block**

(2 per fixed sash)

QTY

Each




#### **FOAM TABS**

CFH104 = RAD402 / CFH108 = RAD401 / CFH109 = RAD601 & 602

**QTY PER ROLL** 

CFH104 = 980pcs / CFH108 = 890pcs / CFH109 = 890pcs



#### **HARDWARE ITEMS (ACCESSORIES)**



QTY	Colour
EACH	Black



CFH99 - Slimline	Sliding	Door	Handle
------------------	---------	------	--------

**CFH98 - D Lock Sliding Door Handle** 


QTY	Colour
EACH	Black





CFH123 - Packer


QTY	Colour
EACH	Black

#### 101.6mm & 165mm SEMI-COMMERCIAL DOOR










# **HEAD, SILL TRACK & SUBFRAME**




# RSD501 - 101.6mm Head Track

(Accepts: BW404, BW444, CF405, CF470, RSW421 & **ALL** 4" Fixing

Reveals) (Accepts: CFH81)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# RSD502 - 101.6mm Sill Track

(Accepts: RSD520, RSW406, RSW407)

(Accepts: CFH81)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




## RSD503 - 165mm Head Track

(Accepts: BW404, BW444, CF105, CF405, CF470, RSW421 & ALL 4"

Fixing Reveals) (Accepts: CFH81)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# RSD504 - 165mm Sill Track

(Accepts: RSD520, RSW406, RSW407)

(Accepts: CFH81)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# RSD524 - 165mm 2 Part Subhead

(USE CF457 BEAD & Accepts: RSD503)

(Accepts: CFH13 & CFH13D)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated




# RSD525 - 165mm Subsill

(Accepts: RSD504)

(Accepts: CFH13 & CFH13D)

Length Offered Finishes



# **JAMBS**

# **BW400 - Standard Frame**

(Accepts: CF406 + RSW404)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

# RSW404 - 101.6mm Double Receiver Channel

(Accepts: BW400 with CF406 & CFH80)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated




### RSD505 - 165mm Jamb

(Accepts: CF105, CF405, RSD506, RSD507)

Length Offered Finishes

5.5mtr Mill / Natural Anodised / Powdercoated




### RSD506 - 165mm Jamb Receiver

(Accepts: RSD505 & CFH80)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated



# RSD507 - 165mm Jamb Double Flyscreen Receiver

(Accepts: RSD505)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated




# RSD508 - 101.6mm Jamb Single Flyscreen Receiver

(Accepts: 101.6mm Jambs)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated




# **RSD515 - Clip In Receiver**

(Clips into BW400 series pockets & accepts CFH80)

Length Offered Finishes

### SINGLE GLAZE STILES & RAILS TO SUIT 6mm - 12.76mm GLASS

# RSW408 - SG Lock Stile (16mm Pocket)



(Accepts: 6mm to 12.76mm Glass)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated




# RSW410 - SG Standard Interlock (16mm Pocket)

(Accepts: CFH80, 6mm to 12.76mm Glass)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated




# RSW412 - SG Boxed Interlock (16mm Pocket)

(Accepts: CFH80, 6mm to 12.76mm Glass)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated




# RSW406 - SG Rail (16mm Pocket)

(Accepts: 6mm to 12.76mm Glass)

Length Offered Finishes

5.1mtr Mill / Natural Anodised / Powdercoated




# RSW418 - SG Male Meeting Stile (16mm Pocket)

(Accepts: CFH96, 6mm to 12.76mm Glass)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated



# RSW414 - SG Female Meeting Stile (16mm Pocket)


(Accepts: CFH80, 6mm to 12.76mm Glass)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated

\*\*\*Please note: Images are not to scale\*\*\*
www.rapidal.com.au

# SINGLE GLAZED STILES, FLYDOOR INTERLOCKS & FILLERS




# **RSW416 - SG Med Boxed Female Meeting Stile**

(Accepts: CFH80, 6mm to 12.76mm Glass)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 5.4mtr




# **RSD513 - SG HD Boxed Female Meeting Stile**

(Accepts: CFH80, 6mm to 12.76mm Glass)

Offered Finishes Length

5.4mtr Mill / Natural Anodised / Powdercoated




# **RSD509 - SG Fly Door Std Interlock**

(Accepts: CFH80)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 5.4mtr




# RSD511 - SG Fly Door HD Interlock

(Accepts: CFH80)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 5.4mtr



# RSD528 - Security Door Interlock (Plant On)

(Accepts: RSD527)

Offered Finishes Length

### **DOUBLE GLAZED STILES & RAILS TO SUIT 20mm IGU'S**

# 60.8

# RSW409 - DG Lock Stile

(Accepts: 20mm IGU)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated




# **RSW411 - DG Standard Interlock**

(Accepts: CFH80, 20mm IGU)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated




# **RSW413 - DG Boxed Interlock**

(Accepts: CFH80, 20mm IGU)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated




### RSW407 - DG Rail

(Accepts: 20mm IGU)

Length Offered Finishes

5.1mtr Mill / Natural Anodised / Powdercoated




# **RSW419 - DG Male Meeting Stile**

(Accepts: CFH96, 20mm IGU)

Length Offered Finishes

5.1mtr Mill / Natural Anodised / Powdercoated





# **RSW415 - DG Female Meeting Stile**


(Accepts: CFH80, 20mm IGU)

Length Offered Finishes

# **DOUBLE GLAZED STILES & FLYDOOR INTERLOCKS TO SUIT 20mm IGU'S**







# **RSW417 - DG Med Boxed Female Meeting Stile**

(Accepts: CFH80, 20mm IGU)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated

# **RSD514 - DG HD Boxed Female Meeting Stile**

(Accepts: CFH80, 20mm IGU)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated

# **RSD510 - DG Fly Door Std Interlock**

(Accepts: CFH80, 20mm IGU)

Length Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated

# **RSD512 - DG Fly Door HD Interlock**

(Accepts: CFH80, 20mm IGU)

Length Offered Finishes

### **MISCELLANEOUS**

# **RSD520 - Threshold**



(Accepts: RSD502, RSD504)

Length

Offered Finishes

5.4mtr Mill / Natural Anodised / Powdercoated



# RSD521 - Fly Door Interlock


(Accepts: All RSD or RSW Interlocks))

Length

Offered Finishes

5.4mtr

Mill / Natural Anodised / Powdercoated



# **RSD523 - FSF Flyscreen Adaptor**


(Accepts: Boxed Interlock)

Length

Offered Finishes

5.4mtr

Mill / Natural Anodised / Powdercoated



# RSD526 - Sill Track Support (Slotted)


(Accepts: RSD502 & RSD504)

Length

Offered Finishes

4.0mtr

**Natural Anodised** 



# **RSD527 - Security Door frame**

(Accepts: RSD528)

Length

Offered Finishes

6.0mtr

Mill / Natural Anodised / Powdercoated



# RSW421 - Flat Filler


(Accepts: RSD501, RSD503, RSD506)

Length


Offered Finishes

# **HARDWARE ITEMS (RUBBERS)**

# CFH90 - 6mm-6.76mm Glazing Channel




Length	Colour
80mtr	Black




# CFH92 - 10mm-10.76mm Glazing Channel

Length	Colour
100mtr	Black




# CFH93 - 12mm-12.76mm Glazing Channel

Length	Colour
100mtr	Black



# **CFH94 - 20mm Glazing Channel**

Length	Colour
100mtr	Black



# **CFH95 - Drain Flap**

Length	Colour
300mtr	Black



# **CFH96 - Male/Female Bulb Seal**

Length	Colour
300mtr	Black

# **HARDWARE ITEMS (FIN SEALS & ACCESSORIES)**



# CFH80 - 6.7 x 4.25 x 4.25 Finseal

(Heights)

Length	Colour
450mtr	Black



### CFH81 - 6.7 x 5.5 x 5.75 Finseal


(Head & Sill Track)

Length	Colour
400mtr	Black



# CFH113 - Boxed Interlock End Cap (Top & Bottom)

QTY	Colour
10pr per bag	Black



# CFH114 - Large Boxed Interlock End Cap (Top & Bottom)

QTY	Colour
10pr per bag	Black



# CFH18 - 10mm Hole Plug

QTY	Colour
10pr per bag	Black



# **CFH115 - Drain Slot Plugs**

QTY	Colour
50pcs per bag	Black




# **FOAM TABS**

CFH104 = RSD501 / CFH105 = RSD502 / CFH106 = RSD503 CFH107 = RSD504


QI	Υ	РΙ	38	2	₹(	) [	
~ ı			-	٠,	,,	-	-

CFH104 = 980pcs / CFH108 = 890pcs / CFH109 = 890pcs



# **HARDWARE ITEMS (ACCESSORIES)**

# **CFH110 - Fixed Panel Blocks (Left & Right)**



QTY	Colour
10pr per bag	Black

# **CFH111 - Sliding Panel Face Blocks (Left & Right)**

QTY	Colour
10pr per bag	Black

# CFH38D - 80kg Double Wheel Roller

(2 per moving sash)

QTY	Colour	
EACH		

# CFH37 - 40kg Single Wheel Roller

(2 per moving sash)

QTY	Colour	
EACH		

# 900

# **CFH40 - Fixed Panel Adjustment Block**

(2 per fixed sash)

QTY	Colour	
EACH		




# **CFH98 - D Lock Sliding Door Handle**

QTY	Colour
EACH	Black



# **CFH99 - Slimline Sliding Door Handle**


QTY	Colour
EACH	Black




QTY	Colour
EACH	Black




# **NOTES**






# CENTRE GLAZE COMMERCIAL SYSTEMS



The most widely used commercial framing system, which allows for versatility and and is ideal for most commercial and residential applications.




# **BW400 - Standard Frame**

(Accepts: BW404, CF405, CF406, CF407, CF432, BW444, CF451) (Glazing wedges refer page 16)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# **BW402 - Standard Sill**

(Accepts: CF403, CF405, CF406, BW404, BW444) (Glazing wedges refer page 16)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




### CF403 - Sill Bead

(Accepts: BW402, CF472)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



# CF403B - Sloping Sill Bead

(Accepts: BW402 & CF434)

Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated



# CF405 - Flat Filler

(Accepts: BW400, CF400B, BW401, BW402, BW418, CF436, CF8131, CF701, CF702, CF751, CF752, CF601, CF101CW, DG101, DG601)

Length Offered Finishes



# **BW401 - Heavy Frame**

(Accepts: BW404, CF405, CF406, CF407, CF432, BW444, CF451) (Glazing wedges refer page 16)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

# **CF472 - Heavy Transom**

(Accepts: CF403, CF403B, CF406, CF407)

(Glazing wedges refer page 16)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# **BW444 - HD Glazing Adapter**

(Accepts: BW400, BW401, BW402, BW418, CF406, CF407, CF8131) (Glazing wedges refer page 16)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# **BW404 - Glazing Adapter**

(Accepts: BW400, BW401, BW402, BW418, CF406, CF407, CF8131) (Glazing wedges refer page 16)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# **BW436 - Narrow Jamb**

(Accepts: CF405, CF406, CF407, CF470)

(Glazing wedges refer page 16)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# CF450 - 33mm Std Main Frame (101.6 x 33)

(Accepts: CF405, CF406, CF407, CF416, CF432, CF433, CF470) (Glazing wedges refer page 16)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

\*\*\*Please note: Images are not to scale\*\*\*




# **BW427 - Self Mating Mullion**

(Accepts: CF406, CF407)

(Accepts: CFH5 Mullion Seal & wedges page 16)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# **CF428 - HD Mating Mullion**

(Accepts: CF406, CF407)

(Accepts: CFH5 Mullion Seal & wedges page 16)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# CF423 - COC Closer transom

(Accepts: CF425, CF414 - Ideal for pivot doors)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# CF425 - Flush Filler

(Accepts: CF423)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# **CF470 - Back to Back Adaptor (Coupler Bar)**

(Accepts: 101.6mm Frames/Sills)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



# CF406 - Pocket Filler


(Accepts: BW400, BW401, BW404, BW444, BW418, BW436,


BW427, CF428, BW601, BW627)


Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated

\*\*\*Please note: Images are not to scale\*\*\*
www.rapidal.com.au









# CF407 - 45mm Door Stop

(Accepts: BW400, BW401, BW404, BW444, BW418, BW427, CF428)

(Accepts: CFH4 & CFH11)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

# CF432 - 35mm Door Stop

(Accepts: BW400, BW401, BW404, BW444, BW418, BW427, CF428)

(Accepts: CFH4 & CFH11)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

# CF433 - 40mm Door Stop

(Accepts: BW400, BW401, BW404, BW444, BW418, BW427, CF428)

(Accepts: CFH4 & CFH11)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

# CF416 - 35mm Sash Stop

(Accepts: BW400, BW401, BW404, BW444)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

# **CF7124 - Acoustic Sash Stop**

(Accepts: BW400, BW401, BW404, BW444)

(Accepts: CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated


# CF4516 - 50mm Sash Stop

(Accepts: BW400, BW401, BW404, BW444)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

\*\*\*Please note: Images are not to scale\*\*\*



15.0

90.8

22.9

19.0

19.0

# CF467 - Winder Support for 50mm Sash

(Accepts: 50mm Awning Sash)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

# CF466 - Winder Support for 35mm Sash

(Accepts: 35mm Awning Sash)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

# CF451 - Fixing/Reveal Adaptor

(Accepts: 101.6mm Frames)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated


# 21.3

# **CF471 - Fixing Adaptor**

(Accepts: 101.6mm Frames)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



# CF484 - Fixing/Reveal Adaptor 30/70

(Accepts: 101.6mm Frames)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



# CF485 - Fixing/Reveal Adaptor 40/60

(Accepts: 101.6mm Frames)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# CF486 - Fixing/Reveal Adaptor 50/50

(Accepts: 101.6mm Frames)

Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated



# **CF473 - Fixing Adaptor (External plaster trim)**

(Accepts: 101.6mm Frames)


Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated





# **CF488 - Fixing Adaptor (Plaster Return)**


(Accepts: 101.6mm Frames)


Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated











# CF8131 - Plain Frame

(Accepts: CF405, BW404, BW444, CF470, CF483, CF704, CF704L)


Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

# **BW418 - Corner Post**

(Accepts: CF405, BW404, BW444, CF470, CF483, CF704, CF704L) (Glazing wedges refer page 16)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

# 700 SERIES CENTRE GLAZE - DOUBLE GLAZE (101.6mm FRAME)



# **CF701 - DG Standard Frame**

(Accepts: BW404, BW444, CF704, CF706, CF716, CF717) (Glazing wedges refer page 17)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

# CF702 - DG Sill

(Accepts: BW404, BW444, CF703, CF704)

(Glazing wedges refer page 17)

Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated

# CF703 - DG Sill Bead

(Accepts: CF702)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



31.8


# **CF704 - DG Glazing Adaptor**

(Accepts: CF701, CF706, CF707, CF716, CF717)

(Glazing wedges refer page 17)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# **CF706 - DG Pocket Filler**

(Accepts: CF701, CF701L, CF704, CF704L, CF727, CF772)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# CF707 - DG Door Stop (45mm Door)

(Accepts: CF701, CF701L, CF704, CF704L, CF727, CF772)

(Accepts: CFH4 & CFH11)

Length Offered Finishes

# 700 SERIES CENTRE GLAZE - DOUBLE GLAZE (101.6mm FRAME)



# CF701L - DG 50mm Frame

(Accepts: BW404, BW444, CF405, CF704L, CF706, CF707, CF716, CF717)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

# CF702L - DG 50mm Sill

(Accepts: BW404, BW444, CF405, CF703L, CF704L)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

# CF703L - DG 50mm Sill Bead

(Accepts: CF702L)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

# CF704L - DG 50mm Glazing Adaptor

(Accepts: CF701L, CF702L, CF706, CF716, CF717)


Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

# 38.0 - 90.8

# CF716 - DG 35mm Sash Stop

(Accepts: CF701, CF701L, CF704, CF704L)


Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated



# CF717 - DG 50mm Sash Stop


(Accepts: CF701, CF701L, CF704, CF704L)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated



\*\*\*Please note: Images are not to scale\*\*\*
www.rapidal.com.au

# 700 SERIES CENTRE GLAZE - DOUBLE GLAZE (101.6mm FRAME)



# **CF727 - DG Self Mating Mullion (50mm)**

(Accepts: CF706, CF707, CF716, CF717, CF727)

(Accepts: CFH5 Mullion Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated


# CF728 - DG HD Self Mating Mullion (44.4mm)

(Accepts: CF706, CF707, CF716, CF717, CF728)

(Accepts: CFH5 Mullion Seal)

Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated



# CF772 - DG HD Transom

(Accepts: CF703, CF706, CF716, CF717)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated





# **CF718 - DG Corner Post/Coupler**

(Accepts: BW404, BW444, CF405, CF704, CF706, CF707)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

# 750 SERIES CENTRE GLAZE - 50mm DOUBLE GLAZE (101.6mm FRAME)





# CF751 - DG 50mm Pocket Frame

(Accepts: CF405, CF754)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

# CF752 - DG 50mm Pocket Sill

(Accepts: CF753, CF754)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




### CF753 - DG 50mm Pocket Sill Bead

(Accepts: CF752)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# CF754 - DG 50mm Pocket Glazing Adaptor

(Accepts: CF751, CF752)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# **CF7528 - DG 50mm Pocket Self Mating Mullion**

(Accepts: CF7528)

(Accepts: CFH5 Mullion Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# CF405 - Flat Filler

(Accepts: BW400, BW401, BW402, BW418, CF436, CF8131, CF701, CF702, CF751, CF752, BW601, CF101CW, DG101, DG601)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

# 750 SERIES CENTRE GLAZE - 50mm DOUBLE GLAZE (101.6mm FRAME)



# CF756 - DG 50mm Pocket Filler


(Accepts: CF751, CF754 & CF7528)

Length

Offered Finishes

6.5mtr

Mill / Natural Anodised / Powdercoated



# CF757 - DG 50mm Pocket 45mm Door Stop


(Accepts: CF751, CF754 & CF7528)

Length

Offered Finishes

6.5mtr

Mill / Natural Anodised / Powdercoated



# CF758 - DG 50mm Pocket Sash Stop (50mm)


(Accepts: CF751, CF754 & CF7528)

Length

Offered Finishes

6.5mtr

# 400/700 SERIES CENTRE GLAZE SUBFRAME (101.6mm FRAME)




### **SUBHEAD OPTIONS**

# CF437 - Standard Subhead (110mm x 49mm)

(Accepts: CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# **CF458 - 2 Piece Subhead (115mm x 50mm)**

(Accepts: CF457)

(Accepts: CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# **CF457 - 2 Piece Subhead Cover (Pressure Bead)**

(Accepts: CF458, CF658) (Accepts: CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



# **CF477 - HD Subhead (113mm x 40mm)**

(Accepts: 101.6mm Frames) (Accepts: CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

# 400/700 SERIES CENTRE GLAZE SUBFRAME (101.6mm FRAME)

### **SUBSILL OPTIONS**


# 5.2 104.5 30.0 30.0 113

# CF430 - 113mm Slotted Subsill (5.2mm)

(Accepts: 101.6mm Frame & 100mm Thresholds, CFH13, CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# CF420 - 120mm Slotted Subsill (12mm)

(Accepts: 101.6mm Frame & 100mm Thresholds, CFH13, CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# CF420HD - 120mm HD Slotted Subsill (12mm)

(Accepts: 101.6mm Frame & 100mm Thresholds, CFH13, CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# CF431R - 131mm Slotted Subsill (23mm)

(Accepts: 101.6mm Frame & 100mm Thresholds, CFH13, CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# CF462 - 144mm Slotted Subsill (36mm)

30.0 (Accepts: 101.6mm Frame & 100mm Thresholds, CFH13, CFH13D)

Length Offered Finishes

# 400/700 SERIES CENTRE GLAZE SUBFRAME (101.6mm FRAME)



### **SUBSILL OPTIONS**

# CF462N - 148mm Slotted Subsill (36mm setback)

(Accepts: 101.6mm Frame & 100mm Thresholds, CFH13, CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

# CF463N - 154mm Slotted Subsill (12mm setback)

(Accepts: 101.6mm Frame & 100mm Thresholds, CFH13, CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

# 400/700 SERIES THRESHOLDS (101.6mm FRAME)

### **DOOR SILL & THRESHOLD OPTIONS**


# 20deg 101.6 81.5 20.0 76.2

### CF438 - Standard Threshold

(Suitable for 101.6mm Frames)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# CF439 - Open Out Threshold

(Accepts: CFH4, CF405 & Suitable for 101.6mm Frames)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# CF489 - Open In Threshold

(Accepts: CFH4 & Suitable for 101.6mm Frames)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# CF468 - Disabled Threshold

(Suitable for 101.6mm Frames)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# CF469 - Incline Wheelchair Threshold

(Suitable 101.6mm Frames)

Length Offered Finishes

6.5mtr nodised / Powdercoated



# CF478 - Low Profile Threshold


(Suitable for 101.6mm Frames)

Length Offered Finishes


4.0mtr inodised / Powdercoated


\*\*\*Please note: Images are not to scale\*\*\*

# **400 SERIES GLAZING DETAIL**



# **700 SERIES GLAZING DETAIL (101.6**






# **BW601 - SG 150mm Frame**

(Accepts: BW404, BW444, CF405, CF406, CF607, CF616, CF704)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




### BW602 - SG 150mm Sill

(Accepts: BW404, BW444, CF405, CF704)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# CF603 - 150mm Sill Bead

(Accepts: CF602)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# **BW404 - Glazing Adapter**

(Accepts: BW601, BW602, CF406, CF607, CF616, DG601, DG602)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



# **BW444 - HD Adapter**

(Accepts: BW601, BW602, CF406, CF607, CF616, DG601, DG602)

Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated



# CF405 - Flat Filler

(Accepts: BW601, BW602, DG601, DG602)

Length Offered Finishes



76.2

M

W

# CF685 - 150mm Plain Frame

(Accepts: RA265 Flat Filler)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



(Accepts: CF406, CF607, CF616, CF627)

(Accepts: CFH5 Mullion Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

# CF429 - Plant On Door Stop

(Accepts: CFH4 & CFH11)

Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated

# **CF429C - Plant On Door Stop With Cover (CF306)**

(Accepts: CFH4 & CFH11)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# CF607 - 45mm Door Stop


(Accepts: CFH4 & CFH11)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



# 51.4 47.8



# CF616 - 35mm Sash Stop

(Accepts: CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated


# CF406 - Pocket Filler

(Accepts: BW601, BW627)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

\*\*\*Please note: Images are not to scale\*\*\*




### **DG601 - 150mm DG Frame**

(Accepts: BW404, BW444, CF405, CF704, CF706)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# DG602 - 150mm DG Sill

(Accepts: BW404, BW444, CF405, CF704, DG603)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




### DG603 - 150mm Sill Bead

(Accepts: DG602)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# DG627 - 150mm DG Self Mating Mullion

(Accepts: CF704, CF706, DG627)

(Accepts: CFH5 Mullion Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# **CF704 - DG Glazing Adaptor**

(Accepts: CF706, CF707, BW601, BW602, DG601, DG602)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



# CF706 - DG Pocket Filler

(Accepts: CF701, CF704, DG601, DG627)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

\*\*\*Please note: Images are not to scale\*\*\*
www.rapidal.com.au

### **SUBHEAD, SUBSILL & THRESHOLD OPTIONS**


# 161.0

### CF637 - 150mm Subhead

(Accepts: CFH13 & CFH13D) Suits 150mm Frame

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# CF658 - 150mm Subhead 2 Piece

(Accepts: CF457) Suits 150mm Frame

(Accepts: CFH13 & CFH13D) Suits 150mm Frame

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# **CF457 - 2 Piece Subhead Cover (Pressure Bead)**

(Accepts: CF458, CF658) (Accepts: CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



# CF630 - 150mm Subsill

(Accepts: CFH13 & CFH13D) Suits 150mm Frame

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# CF669 - 150mm Incline Wheelchair Threshold

Suits 150mm frame & inserts to CF630 Subsill


Length Offered Finishes

# **600 SERIES GLAZING DETAIL (150mm FRAME)**





<sup>\*\*\*</sup>Please note: Images are not to scale\*\*\*


# **300 SERIES CENTRE GLAZE ARCADE SUITE (76mm x 35mm FRAME)**



# 70.4











# **CF301 - 76mm Frame**

(Accepts: CF305, CF306, CF307, CF316, CF332)

(Accepts: CFH014)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 6.5mtr

# CF302 - 76mm Sill

(Accepts: CF303, CF304) (Accepts: CFH014)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

# CF303 - 76mm Sill Bead

(Accepts: CF302) (Accepts: CFH014)

Offered Finishes Length

6.5mtr Mill / Natural Anodised / Powdercoated

# **CF304 - Glazing Adapter**

(Accepts: CF301, CF302, CF318)

(Accepts: CFH014)

Length Offered Finishes

Mill / Natural Anodised / Powdercoated 6.5mtr

# CF305 - Flat Filler

(Accepts: CF301, CF302, CF318)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 6.5mtr

# CF306 - Pocket Filler


(Accepts: CF301, CF302, CF304, CF318, CF429C)


Offered Finishes Length

Mill / Natural Anodised / Powdercoated 6.5mtr

\*\*\*Please note: Images are not to scale\*\*\*







#### CF332 - 35mm Door Stop

(Accepts: CF301, CF304, CF318) (Accepts: CFH4 & CFH11)

Length

6.5mtr Mill / Natural Anodised / Powdercoated

Offered Finishes

#### CF307 - 45mm Door Stop

(Accepts: CF301, CF304, CF318) (Accepts: CFH4 & CFH11)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### CF316 - 35mm Sash Stop

(Accepts: CF301, CF304, CF318)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated


#### CF318 - 76mm Corner Post

(Accepts: CF304, CF305, CF306, CF307, CF316)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated


# **SUBHEAD, SUBSILL & FIXING OPTIONS**



# CF351 - Fixing/Reveal Adaptor

(Accepts: CF301, CF302)


Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated



# **CF330 - Slotted Subsill**

(Accepts: 76mm Frames)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated





#### CF337 - Subhead

(Accepts: 76mm Frames)


(Accepts: CFH24)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated














#### DG311 - DG 76mm Frame

(Accepts: DG314, DG315, DG317, DG318, CF305)

(Accepts: CFH014)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### DG312 - DG 76mm Sill

(Accepts: DG313, DG314, CF305)

(Accepts: CFH014)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### DG313 - DG 76mm Sill Bead

(Accepts: DG302) (Accepts: CFH014)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### DG314 - DG 76mm Glazing Adaptor

(Accepts: DG311, DG312, DG316, DG317)

(Accepts: CFH014)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### DG315 - DG 76mm Pocket Filler

(Accepts: DG311, DG314)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### CF305 - 76mm Flat Filler

(Accepts: DG311, DG312, CF301, CF302, CF318)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### DG316 - 35mm Door Stop

(Accepts: DG311, DG314) (Accepts: CFH4 & CFH11)

6.5mtr


Offered Finishes Length Mill / Natural Anodised / Powdercoated



#### DG317 - 45mm Door Stop

(Accepts: DG311, DG314) (Accepts: CFH4 & CFH11)

Offered Finishes Length Mill / Natural Anodised / Powdercoated 6.5mtr




#### DG318 - 35mm Sash Stop

(Accepts: DG311, DG314)


Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

# **300 SERIES ARCADE SUITE GLAZING DETAIL (76mm FRAME)**


6mm GLASS




8mm GLASS





10mm GLASS




20mm GLASS








The popular Front Glaze System, unmatched maximum design capabilities intended to give you a modern but clean exterior appearance. Strength and design requirements will be met with both flexibility and uniformity. Available in both single and double glazed including 100mm and 150mm frame depths.





#### **CF101CW - STD Frame**

(Accepts: CF106, CF107, CF116, CF156, CF405)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

# **CF102CW - Sill/Transom (External Glazing)**

(Accepts: CF104, CF105, CF106, CF107, CF116, CF156)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated


# **CF104 - Sill/Transom Bead (External Glazing)**



(Accepts: CF102CW, CF115CW)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### **CF115CW - Boxed Sill/Transom (External Glazing)**

(Accepts: CF104, CF106, CF107, CF116, CF156)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### CF105 - Flat Filler



(Accepts: CF102CW, CF114CW)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF106 - Pocket Filler

(Accepts: CF101CW, CF102CW, CF108CW, CF114CW, CF127CW, CF128CW)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **CF108CW - Sill/Transom (Internal Glazing)**

(Accepts: CF106, CF109CW)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **CF109CW - Sill/Transom Bead (Internal Glazing)**

(Accepts: CF108CW) (Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **CF110CW - Cover Transom (External Glazing)**

(Accepts: CF106, DG117) (Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **DG117 - Cover Bead (External Glazing)**

(Accepts: CF103, CF105, CF106, CF107, CF116, CF156)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **CF114CW - Mullion (Open Box)**

(Accepts: CF105, CF106) (Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **CF113 - Structural Self Mating Mullion**


(Accepts: CF113)

(Accepts: CFH5 Mullion Seal)


Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated






# 23.0 45.0 25.0







#### CF156 - 50mm Sash Stop

(Accepts: CF101CW, CF102CW, CF108CW, CF110CW, CF114CW)

(Accepts: CFH13)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### CF116 - 35mm Sash Stop

(Accepts: CF101CW, CF102CW, CF108CW, CF110CW, CF114CW)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

### **CF125 - Structural Female Split Mullion**

(Accepts: CF126)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### **CF126 - Structural Male Split Mullion**

(Accepts: CF125)

(Accepts: CFH5 Mullion Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### **CF128CW - Male Split Mullion**

(Accepts: CF127CW, CF117)

(Accepts: CFH015, CFH5 Mullion Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated


#### **CF127CW - Female Split Mullion**

(Accepts: CF128CW, CF117)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF107 - 45mm Door Stop

(Accepts: All SG FG glazing pockets)

(Accepts: CFH4 & CFH11)

Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated



# CF117 - 100mm Splice Bar

(Accepts: CF127CW & CF128CW)


Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated



#### CF405 - Flat Filler

(Accepts: CF101CW)


Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated




#### **CF112 - Structural Transom**


(Accepts: CF105)


Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated



# 25.0







#### DG101 - DG Frame 100mm x 50mm

(Accepts: CF405, DG106, DG107, DG116, DG156)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### **DG106 - Pocket Filler**

(Accepts: DG101, DG108, DG110, DG114, DG127, DG128, DG122, DG123, DG161, DG162, DG163, DG164, DG167, DG168, DG169, DG171)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### **DG108 - DG Internal Transom**

(Accepts: DG106, DG107, DG109, DG116, DG156)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### **DG109 - DG Internal Transom Bead**

(Accepts: DG108) (Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

### DG112 - DG Boxed Sill/Transom

(Accepts: DG106, DG113, DG116, DG156)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### DG113 - DG FG External Bead

(Accepts: DG112, DG172)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated


#### DG114 - DG Head/Jamb Transom

(Accepts: DG105, DG106, DG107, DG116, DG156)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **DG127 - DG Female Split Mullion**

(Accepts: DG128)

(Accepts: CFH015 & CFH5 Mullion Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **DG128 - DG Male Split Mullion**

(Accepts: DG127)

(Accepts: CFH015 & CFH5 Mullion Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **DG110 - DG Cover Transom**

(Accepts: DG117, DG106, DG107, DG116, DG156)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **DG117 - Cover Bead**

(Accepts: CF110CW, CF171CW, DG110, DG171)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated






(Accepts: DG114)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated





Fits most Front Glazed Double Glazed Pockets

Len	gth	Offered Finishes
6.5r	ntr	Mill / Natural Anodised / Powdercoated



# DG156 - DG 50mm Sash Stop

Fits most Front Glazed Double Glazed Pockets

(Accepts: CFH13)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

# DG107 - DG 45mm Door Stop


Fits most Front Glazed Double Glazed Pockets

(Accepts: CFH4 & CFH11)

(, receleter	
Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated



#### **SUBHEAD OPTIONS**



# CF437 - Standard Subhead (110mm x 49mm)

(Accepts CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

# 50.0


#### **CF458 - 2 Piece Subhead (115mm x 50mm)**

(Accepts: CF457)

(Accepts CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




115.1

#### CF457 - 2 Piece Subhead Cover (50mm)

(Accepts: CF458, CF658) (Accepts CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### CF477 - Heavy Duty Subhead (113mm x 40mm)

(Accepts CFH13 & CFH13D)

Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated

#### **SUBSILL OPTIONS**

Length


6.5mtr

#### CF430 - 113mm Slotted Subsill (5.2mm)









(Accepts: 101.6mm Frame & 100mm Thresholds, CFH13, CFH13D)

(Accepts: 101.6mm Frame & 100mm Thresholds, CFH13, CFH13D)

Offered Finishes

Mill / Natural Anodised / Powdercoated


Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

# 119.8

### CF420HD - 120mm HD Slotted Subsill (12mm)

(Accepts: 101.6mm Frame & 100mm Thresholds, CFH13, CFH13D)


Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated



# CF431R - 131mm Slotted Subsill (23mm)

(Accepts: 101.6mm Frame & 100mm Thresholds, CFH13, CFH13D)

Leng	h	Offe	ered Finishe	es	
6.5m	tr Mill /	Natural Anodis	ed / Powd	ercoate	d




# CF462 - 144mm Slotted Subsill (36mm)

(Accepts: 101.6mm Frame & 100mm Thresholds, CFH13, CFH13D)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

#### **SUBSILL OPTIONS**




# CF462N - 148mm Slotted Subsill (36mm)

(Accepts: 101.6mm Frame & 100mm Thresholds, CFH13, CFH13D)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 6.5mtr



154.1

# CF463N - 154mm Slotted Subsill (12mm)


(Accepts: 101.6mm Frame & 100mm Thresholds, CFH13, CFH13D)

Offered Finishes Length

6.5mtr Mill / Natural Anodised / Powdercoated

78.1

#### **DOOR SILL & THRESHOLD OPTIONS**




#### CF438 - Standard Threshold

(Suitable for 101.6mm Frames)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF439 - Open Out Threshold

(Accepts: CFH4, CF405 & Suitable for 101.6mm Frames)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF489 - Open In Threshold

(Accepts: CFH4 & Suitable for 101.6mm Frames)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF468 - Disabled Threshold

(Suitable for 101.6mm Frames)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### CF469 - Incline Wheelchair Threshold

(Suitable for 101.6mm Frames)

Length Offered Finishes

6.5mtr inodised / Powdercoated




#### CF478 - Low Profile Threshold

(Suitable for 101.6mm Frames)

Length Offered Finishes

4.0mtr inodised / Powdercoated



106

#### CF161CW - 150mm Frame

(Accepts: CF106, CF107, CF116, CF156, RA265)

(Accepts: CFH015)

Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated

#### **RA265 - Flat Filler**

(Accepts: CF161CW, DG161, RA261, RA271)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### **CF162CW - Transom/Sill (External Glazing)**

(Accepts: CF104, CF106, CF165)

(Accepts: CFH015)

Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated

### **CF104 - External Glazing Bead**

(Accepts: CF102CW, CF162CW)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



<u> 20.5</u>

#### CF164CW - Head/Jamb Transom

(Accepts: CF106, CF165)

50.0 (Accepts: **CFH015**)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated


# CF165 - 150mm Internal Filler



(Accepts: CF162CW, CF164CW)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



# **CF106 - Single Glaze Pocket Filler**

(Accepts: Most Front Glaze Single Glaze Pockets)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

# 150

#### CF173CW - 150mm SG Female Mullion

(Accepts: CF106, CF107, CF116, CF156, CF174CW,)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF174CW - 150mm SG Male Mullion

(Accepts: CF106, CF107, CF116, CF156, CF173CW,)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF169CW - 150mm Internal Transom

(Accepts: CF106, CF170CW))

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF170CW - 150mm Internal Glazing Bead

(Accepts: CF169CW) (Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF175 - 150mm Female Structural Mullion

(Accepts: CF176)

(Accepts: CFH5 Mullion Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF176 - 150mm Male Structural Split Mullion

(Accepts: CF175)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF177 - 150mm Splice Bar

(Accepts: CF167CW/CF168CW, CF175/CF176)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### CF171CW - 150mm Cover Transom

(Accepts: CF106, DG117) (Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### **DG117 - Cover Bead**

(Accepts: CF171CW)

Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated

#### CF166 - 150mm Back to Back Adaptor

(Accepts: CF161CW, DG161, RA261, RA271)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




132

#### CF685 - 150mm Plain Frame

(Accepts: RA265

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



132.4


#### CF107 - 45mm Door Stop

(Accepts: CF176)

(Accepts: CFH4 & CFH11)

Length Offered Finishes

6.5mtr nodised / Powdercoated



#### CF156 - 50mm Sash Stop

(Accepts: CFH13 & Accepts most SG Front Glaze pockets)

Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated

#### CF116 - 35mm Sash Stop

(Accepts: CFH13 & Accepts most SG Front Glaze pockets)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### **DG161 - 150mm DG Frame**

(Accepts: DG105, DG107, DG116, DG156, DG201, RA265)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

### DG164 - 150mm DG Mullion (One Piece)

(Accepts: CF405, DG105, DG107, DG116, DG156, DG201)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

# **DG172 - 150mm DG Transom (External Bead)**

(Accepts: DG106, DG113, DG116, DG156, DG201)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### DG113 - DG FG External Bead




W

50

(Accepts: DG172)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### DG168 - 150mm DG Male Split Mullion

(Accepts: DG105, DG107, DG116, DG156, DG201, FB055)

(Accepts: CFH015, CFH5 Mullion Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### DG167 - 150mm DG Female Split Mullion

(Accepts: DG105, DG107, DG116, DG156, DG201)

(Accepts: CFH015, CFH5 Mullion Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated


#### **RA265 - Flat Filler**



(Accepts: CF161CW, CF685, DG161, RA261, RA271)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### DG169 - 150mm DG Internal Transom

(Accepts: DG105, DG107, DG116, DG156, DG170, DG201)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### DG170 - 150mm DG Internal Glazing Bead

(Accepts: DG169) (Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### DG171 - 150mm DG Cover Transom (Face Bead)

(Accepts: DG117, DG105, DG107, DG116, DG156, DG201)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### **DG117 - Cover Bead**

(Accepts: CF110CW, CF171CW, DG171)

(Accepts: CFH015)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### DG201 - DG Pocket Infill (Create SG Pocket)


(Accepts: CFH015) Suits 100mm & 150mm DG Pockets

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated









#### **DG106 - Pocket Filler**

(Accepts: DG101, DG108, DG110, DG114, DG127, DG128, DG122, DG123, DG161, DG162, DG163, DG164, DG167, DG168, DG169, DG171)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

### DG116 - 35mm Sash Stop

(Accepts: MOST DG FRONT GLAZE SECTIONS)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

#### DG156 - 50mm Sash Stop

(Accepts: MOST DG FRONT GLAZE SECTIONS)

(Accepts: CFH13)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

# DG107 - 45mm Door Stop

(Accepts: MOST DG FRONT GLAZE SECTIONS)

(Accepts: CFH4 & CFH11)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

# **600 SERIES CENTRE GLAZE (150mm FRAME)**

#### **SUBHEAD, SUBSILL & THRESHOLD OPTIONS**




#### CF637 - 150mm Subhead

(Accepts: CFH13 & CFH13D) Suits 150mm Frame

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF658 - 150mm Subhead 2 Piece

(Accepts: CF457) Suits 150mm Frame

(Accepts: CFH5 Mullion Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF457 - 2 Piece Subhead Cover (50mm)

(Accepts: CF458, CF658) (Accepts CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF630 - 150mm Slotted Subsill

(Accepts: CFH13 & CFH13D) Suits 150mm Frame

Length Offered Finishes

6.5mtr Inodised / Powdercoated




#### CF669 - 150mm Incline Wheelchair Threshold

Suits 150mm frame & inserts to CF630 Subsill


Length Offered Finishes


6.5mtr Inodised / Powdercoated

# FRONT GLAZE SYSTEM GLAZING DETAIL





<sup>\*\*\*</sup>Please note: Images are not to scale\*\*\*







This particular system is aesthetically sought after for most medium rise and shopfront use with its clean and modern external appearance. Glazing & Design features nearly flush with the outside face leaving as little of the aluminium profiles visibility externally. The flush glaze system can also be used as a curtain wall due to its design strength properties. Single and double glazed options along with 103mm and 150mm frame depths.














#### **CF241 - SG Standard Frame**

(Accepts: CF244, CF243, CF256, CF405)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### CF242 - SG Jamb/Pocketed Frame

(Accepts: CF244, CF243, CF256, CF405, CF406)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### CF405 - Flat Filler

(Accepts: CF400, CF400B, CF401, CF402, CF418, CF436, CF8131, CF701, CF702, CF751, CF752, CF601, CF101CW, DG101, DG601)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### CF483 - HD Flat Filler with Screw Flutes

(Accepts: CF241, CF242, CF251)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### CF246 - SG Male Split Mullion

(Accepts: CF247, CF244, CF243, CF256)

(Accepts: CFH5 Mullion Seal)

Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated

#### **CF247 - Female Split Mullion**

(Accepts: CF246)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **CF252 - Self Mating Mullion**

(Accepts: CF244, CF243, CF256) (Accepts: CFH5 Mullion Seal)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 6.5mtr




#### CF259 - SG HD Male Mullion

(Accepts: CF244, CF243, CF252, CF256)

(Accepts: CFH5 Mullion Seal)

Length Offered Finishes

Mill / Natural Anodised / Powdercoated 6.5mtr




#### CF291 - SG Box Transom

(Accepts: CF244, CF243, CF256)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 6.5mtr




#### CF289 - DG HD Male Mullion

(Accepts: CF243, CF252, CF254, CF256)

(Accepts: CFH5 Mullion Seal)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 6.5mtr




#### CF251 - DG Standard Frame

(Accepts: CF243, CF254, CF256, CF405)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF290 - DG Box Transom

(Accepts: CF243, CF254, CF256)

Offered Finishes Length

6.5mtr Mill / Natural Anodised / Powdercoated




#### **CF252HD - HD Self Mating Mullion**

(Accepts: CF252, CF259, CF289) (Accepts: CFH5 Mullion Seal)

Offered Finishes Length

Mill / Natural Anodised / Powdercoated 6.5mtr




#### **CF248 - Structural Male Mullion**

(Accepts: CF249)

(Accepts: CFH5 Mullion Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **CF249 - Structural Female Mullion**

(Accepts: CF248)

Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated



# **CF292 - Spandrel Adaptor**

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

#### FLUSH GLAZE SUITE - SUBSILL & SUBHEAD OPTIONS (100mm FRAME)



#### CF261 - SG Flush Glaze Subhead

(Accepts: 100mm Flush Glaze Frames) (Accepts: CFH13 & CFH13D Bulb Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### CF480 - 2 Piece Flush Glaze Subhead

(Accepts: CF457)

(Accepts: CFH13 & CFH13D Bulb Seal)

Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated

### CF457 - 2 Piece Subhead Cover (Pressure Bead)

(Accepts: CF458, CF658) (Accepts: CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




48.0

#### CF277 - DG Flush Glaze Subhead

(Accepts: 100mm Flush Glaze Frames) (Accepts: CFH13 & CFH13D Bulb Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF4462N - SG Flush Glaze Slotted Subsill

(Accepts: 100mm Flush Glaze Frames) 30.0 (Accepts: **CFH13** & **CFH13D** Bulb Seal)

Length Offered Finishes

\_\_\_\_\_

6.5mtr Mill / Natural Anodised / Powdercoated



#### CF479 - DG Flush Glaze Slotted Subsill

(Accepts: 100mm Flush Glaze Frames)

(Accepts: CFH13 & CFH13D Bulb Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

# 150.0

#### **RA261 - 150mm Frame**

(Accepts: CF244, CF243, CF256, RA265)

Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated

#### **RA265 - Flat Filler**

(Accepts: CF161CW, CF685, DG161, RA261, RA271)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **RA262 - SG Box Transom**

(Accepts: CF244, CF243, CF256)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### RA266 - 150mm Female Split Mullion

(Accepts: RA267)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### RA267 - 150mm Male Split Mullion

(Accepts: RA266)

(Accepts: CFH5 Mullion Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **RA271 - 150mm DG Frame**

(Accepts: CF243, CF254, CF256, RA265)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### **RA272 - DG Box Transom**

(Accepts: CF243, CF254, CF256)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### RA276 - 150mm DG Female Split Mullion

(Accepts: CF243, CF254, CF256, RA267)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### RA268 - 150mm Blind Female Split Mullion

(Accepts: RA267)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### CF652 - 150mm Self Mating Mullion

(Accepts: CF652)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### FLUSH GLAZE SUITE - SUBSILL & SUBHEAD OPTIONS (150mm FRAME)




#### **RA278 - DG Flush Glaze Slotted Subsill**

(Accepts: 150mm Flush Glaze Frames) (Accepts: CFH13 & CFH13D Bulb Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### RA279 - SG Flush Glaze Slotted Subsill

(Accepts: 150mm Flush Glaze Frames) (Accepts: CFH13 & CFH13D Bulb Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### RA280 - SG Flush Glaze Subhead

(Accepts: 150mm Flush Glaze Frames) (Accepts: CFH13 & CFH13D Bulb Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **RA281 - DG Flush Glaze Subhead**

(Accepts: 150mm Flush Glaze Frames) (Accepts: CFH13 & CFH13D Bulb Seal)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF685 - 150mm Plain Frame

(Accepts: RA265 Flat Filler)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### FLUSH GLAZE SUITE - SNAP ON COVERS & STOPS




#### CF243 - 16mm Snap Cover

(Accepts: CF241, CF242, CF246, CF259, CF291, RA261, RA262,

RA266) (Accepts: CFH016 Captive Wedge)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF244 - 16mm Snap Return Cover

(Accepts: CF241, CF242, CF246, CF259, CF291, RA261, RA262,

RA266) (Accepts: CFH016 Captive Wedge)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF256 - 20mm Snap Cover

(Accepts: CF241, CF242, CF246, CF259, CF291, RA261, RA262,

RA266) (Accepts: CFH016 Captive Wedge)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




# CF257 - 20mm Snap Return Cover

(Accepts: CF251, CF289, CF290, RA271, RA272, RA276)

(Accepts: CFH016 Captive Wedge)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated




#### CF254 - 16mm DG Return Cover

(Accepts: CF251, CF289, CF290, RA271, RA272, RA276)

(Accepts: CFH016 Captive Wedge)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### CF253 - DG Adaptor


(Accepts: CF241, CF242, CF246, CF259, CF291, RA261, RA262, RA266)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

# **FLUSH GLAZE SUITE - GLAZING BASES & STOPS**

#### CF250 - Plant On Base




Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

# 35 50

#### CF260 - DG Plant On Base

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

# FLUSH GLAZE COMMERCIAL SUITE GLAZING & CAPPING DETAIL




# **NOTES**

ĺ	,
I	,
I	,
	,
ĺ	,
I	,
I	,
I	,
I	,
I	,
I	,
I	,
I	,
I	,
I	,
I	,
	,
I	,
I	,
I	,
I	,
I	,
I	,
I	,
I	,
I	,
I	,
I	,
I	,
I	,
I	,
I	,
I	,
I	,
I	,
I	,
	<u> </u>




# INSERTIONS: NESTED FRAMES, SEALS &



- 1. Awning/Casement Sashes
- 2. Commercial Doors
- 3. Commercial Fixed Louvres
- Hardware, Components,
   Gaskets & Seals

# **INSERTIONS: AWNING/CASEMENT SASHES**

#### 35mm AWNING/CASEMENT SASHES (SG & DG)



# CF415 - 35mm Grooved Awning Sash

(Accepts: CF016, CF417)


(Accepts: CFH13 & CFH13D Mullion Seal & CFH3 Corner Stake)

Length

Offered Finishes

6.5mtr

Mill / Natural Anodised / Powdercoated



#### **CF415B - 35mm Flat Awning Sash**

(Accepts: CF016, CF417)

(Accepts: CFH13 & CFH13D Mullion Seal & CFH3 Corner Stake)


Length

Offered Finishes

6.5mtr

Mill / Natural Anodised / Powdercoated






(Accepts: CF415, CF415B, CF4515, CF475, CF475B)

Length

Offered Finishes

6.5mtr

Mill / Natural Anodised / Powdercoated



#### CF016 - DG Sash Bead


(Accepts: CF415, CF415B, CF4515, CF475, CF475B)

Length

Offered Finishes

6.5mtr

Mill / Natural Anodised / Powdercoated



#### CF475 - 35mm Grooved Awning Sash with Hinge

(Accepts: CF016, CF417)


(Accepts: CFH13 & CFH13D Mullion Seal & CFH3 Corner Stake)

Length

Offered Finishes

6.5mtr

Mill / Natural Anodised / Powdercoated



#### CF475B - 35mm Flat Awning Sash with Hinge

(Accepts: CF016, CF417)

(Accepts: CFH13 & CFH13D Mullion Seal & CFH3 Corner Stake)

Length


Offered Finishes

6.5mtr

Mill / Natural Anodised / Powdercoated

# **INSERTIONS: AWNING/CASEMENT SASHES**

#### 35mm AWNING/CASEMENT SASHES




#### CF460H - Sash Hinge

(Accepts: CF475 & CF475B)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### CF435 - 35mm Sloping Awning Sash (SG only)

(Accepts: CF414)

(Accepts: CFH13 & CFH13D Mullion Seal & CFH3 Corner Stake)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF414 - Sash Bead

(Accepts: CF435)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### **CFH3 - 35mm Corner Stake**


(Accepts: CF415, CF415B, CF435, CF475, CF475B)


QTY Offered Finishes


EACH Mill Finish


### **INSERTIONS: AWNING/CASEMENT SASHES**


#### 50mm AWNING/CASEMENT SASHES (SG & DG)











#### CF4515 - 50mm Awning Sash

(Accepts: CF016, CF417, CF4517)

(Accepts: CFH13 & CFH13D Mullion Seal & CFH50 Corner Stake)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### CF4517 - 50mm Sash Bead

(Accepts: CF4515, CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### CF417 - Sash Bead

(Accepts: CF415, CF415B, CF4515, CF475, CF475B)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### CF016 - DG Sash Bead

(Accepts: CF415, CF415B, CF4515, CF475, CF475B)

(Accepts: CFH13 & CFH13D)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### CFH50 - 50mm Corner Stake

(Accepts: CF4515)


QTY Offered Finishes

Each Mill Finish


# **Awning Sash Guides & Drawings**

#### 35mm SASH


#### 6mm GLASS




8mm GLASS




10mm GLASS



6/12/6mm GLASS




6/12/6mm GLASS




#### 50mm SASH


#### 6mm GLASS




10mm GLASS




5/8/5mm GLASS



5/10/5mm GLASS




6/12/6mm GLASS




\*\*\*Please note: Images are not to scale\*\*\*

# **Awning Sash Guides & Drawings**




\*\*\*Please note: Images are not to scale\*\*\*

# 900 SERIES DOOR: SINGLE GLAZE 73mm X 44mm (accepts CFH6 spigot) 14.5mm glazing pocket = up to 10.38 glass



#### CF907 - SG Plain Stile


Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated



#### **CF908 - SG Sliding Stile**


(Accepts: CFH12 Black/Grey Schlegel)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated



#### **CF909 - SG Hinge Stile**


Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated



#### CF910 - SG Lock Stile

(Accepts: CFH12 Black/Grey Schlegel)


Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated



#### **CF911 - SG Meeting Stile (1 piece)**

(Accepts: CFH24 Black/Grey Schlegel)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated




#### CF912 - Pivot Stile

(Accepts: CFH12 Black/Grey Schlegel)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated


# 900 SERIES DOOR: SINGLE GLAZE 114mm X 44mm (accepts CFH6 spigot) 14.5mm glazing pocket = up to 10.38 glass



#### **CF001 - SG Wide Sliding Door Stile**


(Accepts: CFH12 Black/Grey Schlegel)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated



#### **CF002 - SG Wide Hinge Stile**


Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated



#### CF003 - SG Wide Lock Stile

(Accepts: CFH12 Black/Grey Schlegel)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated



#### **CF004 - SG Wide Pivot Stile**


(Accepts: CFH12 Black/Grey Schlegel)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated



#### CF005 - SG Wide Plain Stile

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated




#### **CF006 - SG Wide Meeting Stile (1 piece)**

(Accepts: CFH24 Black/Grey Schlegel)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

#### 900 SERIES COMMERCIAL DOOR RAILS (SINGLE GLAZED)

#### **ACCEPTS CFH6 SPIGOT**



#### CF411 - SG Top Rail

(Accepts: CF414)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### CF412 - SG Bottom Rail

(Accepts: CF414)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### CF413 - SG 123mm Mid Rail

(Accepts: CF414)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated


# 11.8

#### CF414 - SG Door Rail Bead

(Accepts: CF411, CF412, CF413, CF426)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### CF426 - SG 45mm Mid Rail

(Accepts: CF414)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### **CF448 - Bottom Rail Bug Strip Adaptor**


(Accepts: CF411, CF412, CF931, CF932)

(Accepts: CFH12)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

# 900 SERIES DOOR: DOUBLE GLAZE 73mm X 44mm (accepts CFH6 spigot) 33mm glazing pocket = up to 28mm IGU (Acoustic)




#### CF917 - DG Plain Stile

(Accepts: CFH016 Captive Wedge)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **CF918 - DG Sliding Stile**

(Accepts: CFH12 Black/Grey Schlegel & CFH016 Captive Wedge)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **CF919 - DG Hinge Stile**

(Accepts: CFH016 Captive Wedge)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF920 - DG Lock Stile

(Accepts: CFH12 Black/Grey Schlegel & CFH016 Captive Wedge)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF921 - DG Meeting Stile

(Accepts: CFH12 Black/Grey Schlegel & CFH016 Captive Wedge)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF922 - DG Pivot Stile

(Accepts: CFH12 Black/Grey Schlegel & CFH016 Captive Wedge)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated


# 900 SERIES DOOR: DOUBLE GLAZE 114mm X 44mm (accepts CFH6 spigot) 33mm glazing pocket = up to 28mm IGU (Acoustic)



#### **CF021 - DG Wide Sliding Door Stile**

(Accepts: CFH12 Black/Grey Schlegel & CFH016 Captive Wedge)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated



#### **CF022 - DG Wide Hinge Stile**

(Accepts: CFH016 Captive Wedge)


Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated



#### CF023 - DG Wide Lock Stile

(Accepts: CFH12 Black/Grey Schlegel & CFH016 Captive Wedge)


Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated



#### CF024 - DG Wide Pivot Stile

(Accepts: CFH12 Black/Grey Schlegel & CFH016 Captive Wedge)


Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated



#### CF025 - DG Wide Plain Stile

(Accepts: CFH016 Captive Wedge)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated




#### CF026 - DG Wide Meeting Stile (1 piece)

(Accepts: CFH24 Black/Grey Schlegel)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated


# 900 SERIES DOOR: DOUBLE GLAZE 114mm X 44mm (accepts CFH6 spigot) 33mm glazing pocket = up to 28mm IGU (Acoustic)



#### CF931 - DG Top Rail

(Accepts: SF061 & CFH016 Captive Wedge)


Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated



#### CF932 - DG Bottom Rail

(Accepts: SF061 & CFH016 Captive Wedge)


Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated



#### CF933 - DG Mid Rail

(Accepts: SF061 & CFH016 Captive Wedge)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated



#### CF934 - DG 50mm Mid Rail

(Accepts: SF061 & CFH016 Captive Wedge)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated



#### SF061 - DG Door Rail Bead

(Accepts: CF931, CF932, CF933 & CFH016 Captive Wedge)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated




#### **CF448 - Bottom Rail Bug Strip Adaptor**

(Accepts: CF411, CF412, CF931, CF932)

(Accepts: CFH12)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated


#### 900 SERIES DOOR: SINGLE/DOUBLE GLAZE SPIGOT OPTIONS (1 door = 4 each)



#### CFH6 - 900 Series Spigot

(Accepts: ALL 900 series Door Stiles & Rails)


Unit	Offered Finishes
Each or bags of 100	Mill finish only



#### **CFH43 - Heavy Duty Spigot with Back Plate**


(Accepts: DG 900 Series Door Stiles & Rails ONLY)


Unit	Offered Finishes
Each or bags of 100	Mill finish only




\*\*\*Please note: Images are not to scale\*\*\*

#### **DOOR MISCELLANEOUS: TRACKS, GUIDES & ATTACHEMENTS**









	20	
12.7		12.1







#### **CF421 - Sliding Door Track Insert**

Length	Offered Finishes	
6.5mtr	Mill / Natural Anodised / Powdercoated	

#### CF422 - Door Floor Guide

(Accepts: CFH16)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

#### **CF424 - Sliding Door Guide**

(Accepts: CFH16)

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

#### CF429 - Plant On Door Stop

(Accepts: CFH4 Door Stop Rubber)

Length	Offered Finishes	
6.5mtr	Mill / Natural Anodised / Powdercoated	

#### **CF441 - Sliding Stile Interlock**

(Accepts: CFH4 Door Stop Rubber)

Length	Offered Finishes	
6.5mtr	Mill / Natural Anodised / Powdercoated	

#### **CF446 - Sliding Guide/Reciever**

(Accepts: CFH16)

Length	Offered Finishes	
6.5mtr	Mill / Natural Anodised / Powdercoated	

#### CF447 - Guide/Reciever Cover

Length	Offered Finishes
6.5mtr	Mill / Natural Anodised / Powdercoated

#### **DOOR MISCELLANEOUS: TRACKS, GUIDES & ATTACHEMENTS**




#### CF445 - Single track

(Accepts: CFH445 Bottom Roller)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### CF449 - Plant On Door Stop

(Accepts: CFH4 Door Stop Rubber)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### **CF455 - Meeting Stile Adaptor**

(Accepts: Lock & Pivot Stile Pile Groove & CFH24)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated




#### CF461 - Top Track (MAX 150kg load)

(Accepts: CFH19 Roller)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### CF453 -114mm Overhead Track

(Accepts: CF454 & CFH16)

Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated



(Accepts: CF453 & CFH16)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



#### CFH453EC - End Cap


(Accepts: CF454)

Length Offered Finishes

Pair = 2 Mill / Powdercoated Silver

\*\*\*Please note: Images are not to scale\*\*\*

# 900 SERIES DOOR GLAZING GUIDE



# **GLAZING CHANNELS**


Offered Finishes:
Mill / Natural Anodised or
Powdercoated

PART No.	LENGTH	DESCRIPTION
CF015	6.5	19mm pocket after the bead is fitted
CF016	6.5	19.2
CF017	6.5	24
CF018	6.5	44mm pocket after CF016 is fitted 25mm pocket after CF417 is fitted
CF417	6.5	19.2



#### **INSERTIONS: COMMERCIAL FIXED LOUVRES**

#### **COMMERCIAL FIXED LOUVRES**




#### LV001 - 50mm Louvre

(Accepts: LF001) RECOMMENDED MAX SPAN = 1200mm

Length Offered Finishes


6.5mtr Mill / Natural Anodised / Powdercoated



#### LF001 - 50mm Louvre frame

(Accepts: LV001)

Length	Offered Finishes	
6.5mtr	Mill / Natural Anodised / Powdercoated	




#### LV050 - 50mm Louvre

(Accepts: LV051) RECOMMENDED MAX SPAN = 1400mm

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated



75.6

73.6

60.4

#### LV051 - 50mm Louvre Frame

(Accepts: LV050)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

### LV7061 - 76mm Clip on Louvre

(Accepts: LV7049) RECOMMENDED MAX SPAN = 2000mm

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### LV7049 - Louvre Clip

(Accepts: LV7061)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### **INSERTIONS: COMMERCIAL FIXED LOUVRES**

#### **COMMERCIAL FIXED LOUVRES**

# 76.2 95.0 101.6 76.2 25.4 90.8 79.8 109.8

#### LV9517 - Sub Station Louvre

**RECOMMENDED MAX SPAN = 2000mm** 

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### LF436 - Narrow frame

(Accepts: CF405)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated

#### LV100 - 100mm Louvre

(Accepts: LV101) RECOMMENDED MAX SPAN = 2000mm

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated


#### LV101 - 100mm Louvre Frame

(Accepts: LV100)

Length Offered Finishes

6.5mtr Mill / Natural Anodised / Powdercoated


#### A RANGE OF ELIPTICAL LOUVRES ALSO AVAILABLE ON REQUEST




\*\*\*Please note: Images are not to scale\*\*\*


#### **GLAZING WEDGES (SOFT - ROLL-IN)**

#### SEALER OF THE SEE AND EASILY IN COLUMN ASSET TO SEE AND EASILY EASI



=	
	7.9





Length	Colour
200mtr	Black

#### CFH007 - 6mm FG Shopfront Wedge

**CFH006 - 6mm Shopfront Wedge** 

Length	Colour	
200mtr	Black	

### **CFH008 - 8mm Shopfront Wedge**

Length	Colour
250mtr	Black


### CFH009 - 6mm Front Glaze Roll-in Wedge


Length	Colour
100mtr	Black


# CFH010 - 10mm Shopfront Wedge


Length	Colour
500mtr	Black


#### **GLAZING WEDGES (CAPTIVE)**











#### **CFH012 - Co-Ex Captive Wedge**

(Clear/White Backing)

Length	Colour
150mtr	Black

#### CFH014 - 300 Series Co-Ex Captive Wedge

(Black Backing)

Length	Colour
150mtr	Black

#### **CFH015 - Front Glaze Co-Ex Captive Wedge**

(Yellow Backing)

Length	Colour
100mtr	Black

#### **CFH016 - DG Door captive Wedge**


(Green Backing)

Length	Colour
150mtr	Black


#### **CFH017 -- Front Glaze Co-Ex Captive**


(Blue Backing)

Length	Colour
100mtr	Black









#### **SEALS**

#### **CFH4 - Door Stop Rubber**

(Accepts: CF107, CF307, CF332, CF407, CF429, CF432, CF433, CF607, CF707, DG107, DG316, DG317)

Length	Colour
200mtr	Black

#### **CFH5 - Mullion Seal**

(Accepts: CF113, CF128CW, CF174, CF175, CF246, CF252, CF259, CF289, CF427, CF428, CF727, CF728, CF7528, DG128, DG168,

Length		Colour		
200mtr		Black		

#### CFH13 - Sash Seal

(Accepts: CF330, CF415, CF430, CF431, CF435, CF437, CF443, CF452, CF457, CF458, CF459, CF462, CF465, CF630, CF7124)

Length	Colour
250mtr	Black

#### CFH13D - Co-Ex Seal (Hard Backed)

(Accepts: CF330, CF415, CF430, CF431, CF435, CF437, CF443, CF452, CF457, CF458, CF459, CF462, CF465, CF630, CF7124)

Length	Colour
250mtr	Black

#### **CFH56 - Partitioning Door Stop Seal**

(Accepts: All Rapid Partitioning Door Stops)

Length	Colour
150mtr	Black



#### CFH11 - 9mm Wool Pile Seal (NO FIN)

(Accepts: CF107, CF307, CF332, CF407, CF429, CF432, CF433, CF607, CF707, DG107, DG316, DG317)

Length	Colour	
150mtr or per mtr	Black or Grey	

#### CFH12 - 13mm Wool Pile Stile Seal (NO FIN)

(Accepts: CF001, CF003, CF004, CF908, CF910, CF912, CF918, CF920, CF922)

Length	Colour
500mtr or per mtr	Black or Grey

#### CFH16 - 6.9mm Wool Pile (NO FIN)

(Accepts: Apartment Door, Semi-Commercial Door, Sliding Window & Rapid Partitioning door stops)

Length	Colour
325mtr or per mtr	Black or Grey

#### CFH24 - 4.8mm Wool Pile Seal (NO FIN)

(Accepts: CF337, CF437, CF455, CF457, CF458, CF911, CF921

Length	Colour
750mtr or per mtr	Black or Grey

#### **CFH25 - Wool Pile Seal (WITH FIN)**

(Accepts: RAD - 401, 402, 404, 601, 602, 604 / RSD - 501, 502, 503, 504, 505 / RSW - 301, 302, 401, 402, 403, 404)

	302, 102, 102, 101,
Length	Colour
350mtr or per mtr	Black or Grey













#### **ROLLERS**

# CFH19 - Top Roller

(Accepts: CF461)

QTY	OPTIONS
Each	Standard (80kg Capacity)




(Accepts: C010 - 25 x 25 x 3mm Channel)

QTY	OPTIONS
Each	Standard




(Accepts: CF453) To be used with 45mm Top Rail

QTY	OPTIONS
Each	Standard (250kg Capacity)











### INTRODUCING OUR NEWEST PARTITION SUITE...

### THE 800 SERIES - 100MM (TO SUIT 64MM STUD)

We have redesigned a new suite to cater to the needs of the ever-growing shop fitting and partitions market, with its new and improved robust design our latest addition will surely impress. Our 800 Series is designed 64mm studs application with 13mm plasterboard, While our 900 Series is for 90mm studs. These suites offer a straightforward and effective centre glazing option. Centre glazed is most commonly used glazing option in the market and is by far the easiest to work with for both fabricators and installers alike. These suites have a 14.4mm glazing pocket that can accommodate a wide range of glass options for whatever your project demands. There is also enough clearance within the frame dimensions for the ability to incorporate blinds and other privacy options thanks to the 100.7mm and 131mm framing.

#### Features of our Partition Suite


- Glazing pocket suitable for 6mm to 10mm glass
- Glazing pocket offers flexibility of either a captive wedge or silicone glazing options
- Plasterboard options:
- 800 Series
- 13mm plasterboard +64mm studs + 13mm plasterboard
- 2x skin 13mm plasterboard + 51mm studs + 13mm plasterboard 900 Series
- 13mm plasterboard +90mm studs + 13mm


#### plasterboard


- Offers Door Stop options to suit 35mm, 38mm and 45mm doors
- Gusset Joining System for both window/door frames and ceiling channel provides cleaner looking joins and seamless mitre intersections.





# 800 SERIES - 100mm (TO SUIT 64mm STUD & 13mm PLASTER)














#### **FRAMES & SILLS**

#### CFP810 - Ceiling Channel (10mm Shadow Line)

(Accepts: 64mm Stud & 13mm Plaster)

Length Colour

C Fronting Mill / Natural Anadicad / Payadaracatad

6.5mtr Mill / Natural Anodised / Powdercoated

#### **CFP812 - Flat Celing Channel**

(Accepts: 64mm Stud & 13mm Plaster)

Length	Colour
6.5mtr	Mill / Natural Anodised / Powdercoated

#### **CFP811 - Door Frame (With Legs)**

(Accepts: CFP809, CFP807, 64mm Stud & 13mm Plaster)

Length	Colour
6.5mtr	Mill / Natural Anodised / Powdercoated

#### CFP803 - Window Sill

(Accepts: CFP804 Bead)

Length	Colour
6.5mtr	Mill / Natural Anodised / Powdercoated

#### CFP801 - Window Frame

(Accepts: CFP809, CFP807)

Length	Colour
6.5mtr	Mill / Natural Anodised / Powdercoated

#### **CFP805 - Glazing Adaptor**


(Accepts: CFP809, CFP807)

Length	Colour
6.5mtr	Mill / Natural Anodised / Powdercoated

# 800 SERIES - 100mm (TO SUIT 64mm STUD & 13mm PLASTER)

#### **ADAPTOR, BEAD & DOOR STOPS**

#### CFP804 - Sill Bead



(Accepts: CFP803)

Length	Colour
6.5mtr	Mill / Natural Anodised / Powdercoated

#### CFP806R - Pocket Filler




20.1

(Accepts: CFP801, CFP805, CFP811)

Length	Colour
6.5mtr	Mill / Natural Anodised / Powdercoated

#### CFP807 - 45mm Door Stop



(Accepts: CFH16 & CFH56)

Length	Colour
6.5mtr	Mill / Natural Anodised / Powdercoated


#### CFP809 - 35mm Door Stop

(Accepts: CFP801, CFP805, CFP811)

(Accepts: CFH16 & CFH56)

Length	Colour
6.5mtr	Mill / Natural Anodised / Powdercoated


## **CFP813 - Floor Guide (Mill Finish Only)**



QTY	Colour
EACH	Mill

# 900 SERIES - 131mm (TO SUIT 90mm STUD & 13mm PLASTER)

#### FRAMES, SILLS & ADAPTOR




#### **CFP900 - Window Frame**

(Accepts: CF306, CFP907, CFP909)

(Accepts: CFH014)

Length Colour

6.0mtr Mill / Natural Anodised / Powdercoated




#### **CFP901 - Door Frame (With Legs)**

(Accepts: CF306, CFP907, CFP909, 90mm Stud & 13mm Plaster)

(Accepts: CFH014)

Length Colour

6.0mtr Mill / Natural Anodised / Powdercoated




#### **CFP902 - Ceiling Channel (10mm Shadow Line)**

(Accepts: 90mm Stud & 13mm Plaster)

Length Colour

6.0mtr Mill / Natural Anodised / Powdercoated




#### CFP903 - Window Sill

(Accepts: CFP904 Bead)

(Accepts: CFH014)

Length Colour

6.0mtr Mill / Natural Anodised / Powdercoated




#### CFP904 - Sill Bead

(Accepts: CFP903)

Length Colour

6.0mtr Mill / Natural Anodised / Powdercoated



#### **CFP905 - Glazing Adaptor**

(Accepts: CF306, CFP900, CFP907, CFP909)


(Accepts: CFH014)

Length Colour

6.0mtr Mill / Natural Anodised / Powdercoated

# 900 SERIES - 131mm (TO SUIT 90mm STUD & 13mm PLASTER)

#### **DOOR STOPS & POCKET FILLER**



#### CFP907 - 45mm Door Stop

(Accepts: CFP900, CFP901, CFP905)


(Accepts: CFH16 & CFH56)

Length

Colour

6.5mtr

Mill / Natural Anodised / Powdercoated



#### CFP909 - 38mm Door Stop

(Accepts: CFP900, CFP901, CFP905)

(Accepts: CFH16 & CFH56)

Length Colour

6.5mtr Mill / Natural Anodised / Powdercoated




#### **CF306 - Pocket Filler**

(Accepts: CFP900, CFP901, CFP905)

Length Colour

6.5mtr Mill / Natural Anodised / Powdercoated







Trusted by many of our customers as our longest running partition suite.

# 600 SERIES - 90mm (TO SUIT 64mm STUD & 13mm PLASTER)

#### FRAMES, SILLS & ADAPTOR






#### CFP601 - Window Frame

(Accepts: CFP506, CFP607, CFP609)


Colour Length 6.0mtr Mill / Natural Anodised / Powdercoated 2.75mtr



### CFP602 - Ceiling Channel (10mm Shadow Line)

(Accepts: 64mm Stud & 13mm Plaster)


Length	Colour
6.0mtr 2.75mtr	Mill / Natural Anodised / Powdercoated



#### CFP610 - Ceiling Channel (10mm Shadow Line)

(Accepts: 90mm Stud & 13mm Plaster)

Length	Colour	
6.0mtr	Mill / Natural Anodised / Powdercoated	
2.75mtr	Willi / Waturai Allouiseu / Fowdercoateu	



### **CFP611 - Door Frame (With Legs)**

(Accepts: CFP506, CFP607, CFP609)

Length	Colour
6.0mtr 2.75mtr	Mill / Natural Anodised / Powdercoated



#### CFP607 - 45mm Door Stop

(Accepts: CFP601, CFP611) (Accepts: CFH16 & CFH56)

Length	Colour
6.5mtr	Mill / Natural Anodised / Powdercoated



#### CFP609 - 35mm Door Stop

(Accepts: CFP601, CFP611) (Accepts: CFH16 & CFH56)

Length	Colour
6.5mtr	Mill / Natural Anodised / Powdercoated



#### CFP506 - Pocket Filler


(Accepts: CFP601, CFP611)

Length	Colour
6.5mtr	Mill / Natural Anodised / Powdercoated

# **SKIRTING & PLANKS**

#### **SKIRTING**

#### FB018 - 80 x 1.6mm Flat Bar






#### FB020 - 100 x 1.6mm Flat Bar

	100	<u> </u>
		1.6


Length	Colour	
3.6mtr	Mill / Natural Anodised / Powdercoated	

#### FB024 - 150 x 1.8mm Flat Bar



Length	Colour	
3.6mtr	Mill / Natural Anodised / Powdercoated	

#### SCAFFOLD PLANKS - 240kg MAX SPAN @ 2.6mtr SUPPORTS



# Plank 3 - 3mtr Plank

Length	Colour
3mtr	Mill

#### Plank 4 - 4mtr Plank

Length	Colour
4mtr	Mill

#### Plank 5 - 5mtr Plank

Length	Colour
5mtr	Mill

#### Plank 6 - 6mtr Plank


Length	Colour
6mtr	Mill


#### ALL PLANKS COMPLETE WITH END CAPS

#### **ANGLES**



Offered Finishes:
Mill / Natural Anodised or
Powdercoated






**Anodised ONLY** 

\*\*\*Please note: Images are not to scale\*\*\*

# **RECTANGLE HOLLOW (RHS)**





Offered Finishes:
Mill / Natural Anodised or
Powdercoated

#### STOCKED SIZES

STOCKED SIZES											
Н		W		Т	PART No	Length	R1	R2			
40	X	25	X	2.5	B005	6.5					
50	X	25	X	3.0	B032	6.5					
60	X	40	X	3.0	B027	6.5					
65	X	16	X	1.4	B073	6.5	3	2			
76.2	Х	25.4	Х	2.4	B037	6.5					
80	Х	40	Х	3.0	B034	6.5					
100	X	25	Х	2.5	B033	6.5					
100	X	50	Х	1.6	B020	6.5					
100	Х	50	х	3.0	B010	6.5					
150	Х	50	Х	3.0	B011	6.5					
150	Х	50	Х	3.0	B124	6.5	2	5			
200	Х	50	X	3.0	B012	6.5					
250	Х	50	X	3.0	B093	6.5					

Anodised Available

#### **OTHER MILL RUN SIZES AVAILABLE ON REQUEST**

4-6 week lead time


Н		W		Т	PART No	Length	R1	R2
50	X	19	X	1.2	E4007	MILL RUN		
50	X	38	X	3.0	E0224	MILL RUN		
60	X	20	X	1.6	E0251	MILL RUN		
60	X	50	X	3.0	E0449	MILL RUN		
75	X	15	X	2.0	E2281	MILL RUN		
76.2	X	38.1	X	3.2	E0186	MILL RUN		
80	X	50	X	3.0	E0183	MILL RUN		
100	X	40	X	2.0	E0229	MILL RUN		
100	X	50	X	3.0	E3357	MILL RUN	3	
125	X	50	X	3.0	E0208	MILL RUN		
150	X	25	X	2.0	E2755	MILL RUN		
152	X	76	X	6.0	C13822	MILL RUN	2	6
160	X	100	X	3.0	C22154	MILL RUN		
200	X	12	X	3.0	E4372	MILL RUN		
300	X	50	X	3.0	C15970	MILL RUN	0.5	0.5
365	X	100	X	6.0	C8251	MILL RUN		


With centre web

\*\*\*Please note: Images are not to scale\*\*\*

# **SQUARE HOLLOW (SHS)**







#### STOCKED SIZES

	3100000 31213											
Α		В		T	PART No	Length	R1	R2				
25	X	25	Х	3.0	B003	6.5						
25.4	X	25.4	Х	1.2	B064	6.5						
32	X	32	Х	1.6	B013	6.5						
32	X	32	Х	3.0	B014	6.5						
40	X	40	X	1.6	B017	6.5						
40	X	40	X	3.0	B018	6.5						
50	Х	50	Х	1.6	B019	6.5						
50	X	50	Х	3.0	B024	6.5						
65	Х	65	х	2.5	B022	6.5						
100	X	100	X	3.0	B021	6.5						

5.4mtr also stocked


#### **OTHER MILL RUN SIZES AVAILABLE ON REQUEST**


4-6 week lead time

Α		В		Т	PART No	Length	R1	R2
12	Х	12	X	1.6	E8001	MILL RUN		
16	Х	16	Х	1.2	E4681	MILL RUN	1.6	0.4
19	X	19	X	1.2	E12679	MILL RUN	1	
38	X	38	X	2.0	E9743	MILL RUN		
45	X	45	X	2.5	E22109	MILL RUN		
50	Х	50	X	4.0	E15366	MILL RUN		
60	Х	60	X	3.0	E12806	MILL RUN		
62	Х	62	X	5.0	E13805	MILL RUN	2	6
75	X	75	X	4.0	E9568	MILL RUN		
80	X	80	X	2.5	E13188	MILL RUN	3	1
90	X	90	X	2.0	E22379	MILL RUN	3	1
100	X	100	X	6.0	E8009	MILL RUN		
127	Х	127	X	6.35	E5620	MILL RUN	12.70	6.35
150	X	150	X	3.0	E13699	MILL RUN	3	1.6
178	X	178	Х	9.0	E4953	MILL RUN	8	5

# **CHANNEL**







#### STOCKED SIZES


	310CKED 312E3										
Α		В		Т	PART No	Length	R1	R2			
12	X	12	X	1.6	C002	6.5					
16	Х	16	X	1.6	C004	6.5					
20	Х	20	Х	1.6	C006	6.5					
20	Х	20	Х	3.0	C007	6.5					
25	Х	25	Х	3.0	C010	6.5					
25	Х	40	Х	3.0	C011	6.5					
32	Х	25	Х	3.0	C013	6.5					
40	Х	25	Х	3.0	C015	6.5					
40	Х	40	Х	3.0	C023	6.5					
50	Х	25	Х	3.0	C016	6.5					
50	Х	50	Х	3.0	C017	6.5					

#### **OTHER MILL RUN SIZES AVAILABLE ON REQUEST**

4-6 week lead time

Α		В		Т	PART No	Length	R1	R2
40	х	60	Х	3.0	E0279	MILL RUN		
42.5	Х	50	Х	3.0	E1974	MILL RUN		
60	X	32	X	3.0	E0087	MILL RUN		
80	X	25	X	3.0	E0066	MILL RUN		
80	X	40	X	3.0	E0044	MILL RUN		
100	X	25	X	3.0	E0099	MILL RUN		
100	X	40	X	3.0	E0128	MILL RUN		
100	X	50	X	3.0	E0198	MILL RUN		
100	Х	50	Х	5.0	E3356	MILL RUN	6	
144	Х	65	Х	6.0	E4362	MILL RUN		

#### **FLAT BAR**



Offered Finishes:
Mill / Natural Anodised or
Powdercoated

#### STOCKED SIZES


		3100	JCKED SIZES					
Α		T	PART No	Length				
10	Х	3.0	FB001	4.0				
12	X	3.0	FB002	4.0				
16	X	3.0	FB003	4.0				
20	X	1.6	FB005	4.0				
20	X	3.0	FB006	4.0				
20	X	6.0	FB059	4.0				
25	х	1.6	FB007	4.0				
25	х	3.0	FB008	4.0				
25	х	6.0	FB013	4.0				
25	х	10.0	FB041	4.0				
32	х	3.0	FB010	4.0				
32	х	6.0	FB015	4.0				
32	х	10.0	FB038	4.0				
40	х	3.0	FB011	4.0				
40	х	6.0	FB016	4.0				
40	х	10.0	FB022	4.0				
50	х	3.0	FB014	4.0				
50	X	6.0	FB028	4.0				
50	х	10.0	FB029	4.0				
50	х	12.0	FB032	4.0				
60	х	3.0	FB017	4.0				
80	Х	1.6	FB018	3.6				
80	Х	3.0	FB030	4.0				
80	Х	6.0	FB031	4.0				
80	Х	10.0	FB019	4.0				
100	Х	1.6	FB020	3.6				
100	Х	3.0	FB021	4.0				
100	Х	6.0	FB034	4.0				
100	Х	10.0	FB037	4.0				
150	Х	1.8	FB024	3.6				

FB018 AVAILABLE IN ANODISED, FB020 AVAILABLE IN BLACK MATT, WHITE SATIN & ANODISED, FB024 AVAILABLE IN BLACK MATT & ANODISED.

\*\*\*Please note: Images are not to scale\*\*\*

# **SHEET**

Offered Finishes:
Mill / Natural Anodised or
Powdercoated



#### # Available in 5005 & 5052


W		L		Т	PART No.
900	X	1800	X	1.2	MISC
900	X	1800	X	1.6	MISC
900	Х	1800	Х	2.0	MISC
900	Х	1800	Х	2.5	MISC
900	Х	1800	X	3.0	SHEET45
900	х	2400	х	3.0	SHEET58
1200	х	2400	Х	1.2	SHEET05
1200	х	2400	Х	1.6	SHEET01
1200	Х	2400	Х	2.0	SHEET09
1200	х	2400	х	2.5	SHEET24
1200	х	2400	х	3.0	SHEET11
1200	х	2400	х	4.0	SHEET23
1200	х	2400	Х	5.0	SHEET17
1200	Х	2400	Х	6.0	SHEET32
1200	х	3000	Х	1.6	SHEET16
1200	Х	3000	Х	2.0	SHEET08
1200	Х	3000	Х	3.0	SHEET03
1200	х	3600	х	1.6	SHEET04
1200	х	3600	х	1.2	SHEET74
1200	х	3600	Х	2.0	SHEET06
1200	х	3600	Х	3.0	SHEET10
1500	х	2400	Х	2.0	SHEET50
1500	Х	2400	Х	2.5	SHEET39
1500	Х	2400	Х	3.0	MISC
1500	х	3000	х	1.6	SHEET48
1500	х	3000	х	2.0	SHEET14
1500	х	3000	х	2.5	SHEET72
1500	х	3000	х	3.0	SHEET35
1500	х	3600	X	2.0	SHEET51

TREAD PLATE ALSO AVAILABLE UPON REQUEST

\*\*\*Please note: Images are not to scale\*\*\*




# MILL RUN LOUVRES & SHROUDS ALSO AVAILABLE






# MILL RUN LOUVRES & SHROUDS ALSO AVAILABLE



# **NOTES**



#### **QUICK FIND INDEX**

DDODUCT	DACE	DDODUCT	-	// 4	DDODUCT	DACE		BRODUCT	DACE
PRODUCT	PAGE	PRODUCT	PAGE		PRODUCT	PAGE		PRODUCT	PAGE
ANGLES	130	CF173CW	78		CF420HD	49, 74	_	CF485	40
BW400	3, 11, 25, 36	CF174CW	78		CF421	110		CF486	41
BW401	37	CF175	78		CF422	110		CF488	41
BW402	36	CF176	78		CF423	38		CF489	51, 76
BW404	37, 54	CF177	78		CF424	110		CF603	54
BW418	42	CF241	86		CF425	38		CF607	55
BW427	38	CF242	86		CF426	105		CF616	55
BW436	37	CF243	93		CF428	38		CF630	17,57,83
BW444	37, 54	CF244	93		CF429	55, 110		CF637	18,57,83
BW601	54	CF246	86		CF429C	55		CF652	91
BW602	54	CF247	86		CF430	17, 49, 74		CF658	18,57,83
BW627	55	CF248	88		CF431R	17, 49, 74		CF669	57,83
CF001	104	CF249	88		CF432	39		CF685	55,79,92
CF002	104	CF250	94		CF433	39		CF701	11,43
CF003	104	CF251	87		CF435	99		CF701L	44
CF004	104	CF252	87		CF437	18, 48, 73		CF702	43
CF005	104	CF252HD	87		CF438	51, 76		CF702L	44
CF006	104	CF253	93		CF439	51, 76		CF703	43
CF015	113	CF254	93		CF441	110		CF703L	44
CF016	98, 100, 113	CF256	93		CF445	111		CF704	43,56
CF017	113	CF257	93		CF446	110		CF704L	44
CF018	113	CF259	87		CF447	110		CF705	16
CF021	107	CF260	94		CF448	105, 108		CF706	43,56
CF022	107	CF261	89		CF449	111		CF707	43
CF023	107	CF277	89		CF450	3, 11, 37		CF7124	39
CF024	107	CF289	87		CF4515	100		CF716	44
CF024	107	CF289 CF290	87		CF4516	39		CF717	44
CF025	107	CF290 CF291	87		CF4517	100		CF717	45
CF101CW	66	CF291 CF292	88		CF4517	40		CF718 CF727	45
CF101CW	66	CF292 CF301	3,59		CF451 CF452	16		CF727	45
CF102CW	66, 77	CF301 CF302	59		CF452EC	111		CF751	46
								CF751 CF752	
CF105	66	CF303	59 59		CF454	111			46
CF106	66, 77	CF304			CF455	111		CF7528	46
CF109CW	69, 79	CF305	59, 62		CF457	18, 48, 57, 73, 83, 89		CF753	46
CF108CW	67	CF306	59, 126		CF458	18, 48, 73	_	CF754	46
CF119CW	67	CF307	60		CF460H	99		CF756	47
CF110CW	67	CF316	60		CF461	111		CF757	47
CF111	67, 71, 79, 81	CF318	60		CF462	17, 49, 74		CF758	47
CF112	69	CF330	61		CF462N	17, 50, 75, 89		CF772	45
CF113	67	CF332	60		CF463N	50, 75		CF8131	42
CF114CW	67	CF337	61		CF466	40		CF907	103
CF115CW	66	CF351	61		CF467	40		CF908	103
CF116	68, 79	CF403	36		CF468	51, 76		CF909	103
CF117	69	CF403B	36		CF469	51, 76		CF910	103
CF125	68	CF405	36, 46, 54, 69, 86		CF470	38		CF911	103
CF126	68	CF406	16,38,55		CF471	40		CF912	103
CF127CW	68	CF407	39		CF472	37		CF917	106
CF128CW	68	CF411	105		CF473	41		CF918	106
CF156	68, 79	CF412	105		CF475	98		CF919	106
CF161CW	77	CF413	105		CF475B	98		CF920	106
CF162CW	77	CF414	99, 105		CF477	18, 48, 73		CF921	106
CF164CW	77	CF415	98		CF478	51,76		CF922	106
CF165	77	CF415B	98		CF479	89		CF931	108
CF169CW	78	CF416	39		CF480	89		CF932	108
CF170CW	78	CF417	98, 100, 113		CF483	86		CF933	108
CF171CW	79	CF420	17, 49, 74		CF484	40		CF934	108

#### **QUICK FIND INDEX**

			QUICK FIR				
PRODUCT	PAGE	PRODUCT	PAGE	PRODUCT	PAGE	PRODUCT	PAGE
CFH10	120	CFP813	124	LV050	114	RAD604	10
CFH110	7, 33	CFP900	125	LV051	114	RAD605	10
CFH111	7, 33	CFP901	125	LV100	115	RHS	131
CFH113	7, 32	CFP902	125	LV101	115	RSD501	24
CFH114	32	CFP903	125	LV7049	114	RSD502	24
CFH115	7, 20, 32	CFP904	125	LV7061	114	RSD503	24
CFH116	21	CFP905	125	LV9517	115	RSD504	24
CFH118	21	CFP907	126	MOHAIR	119	RSD505	25
CFH117	21	CFP909	126	PLANKS	129	RSD506	25
CFH119	20	DG107	72, 82	RA131	16	RSD507	25
CFH120	20	CHANNEL	133	RA267	90	RSD508	25
CFH121	20	DG101	70	RA200	3	RSD509	27
CFH122	20	DG105	71	RA261	90	RSD510	29
CFH123	22, 33	DG105	70, 82	RA262	90	RSD510	27
CFH123	19	DG100	,			RSD511	29
			72, 82	RA265	77, 80, 90		
CFH18	7, 20, 32	DG108	70	RA266	90	RSD513	27
CFH19	120	DG109	70	RA267	90	RSD514	29
CFH20	120	DG110	71	RA268	91	RSD515	25
CFH29	19	DG112	70	RA271	91	RSD520	30
CFH3	99	DG113	70, 80	RA272	91	RSD521	30
CFH30	3	DG114	70	RA276	91	RSD523	30
CFH37	8, 21, 33	DG116	72, 82	RA278	92	RSD524	24
CFH38D	8, 21, 33	DG117	67, 71, 79, 81	RA279	92	RSD525	24
CFH40	8, 21, 33	DG127	71	RA280	92	RSD526	30
CFH43	109	DG128	71	RA281	92	RSD527	30
CFH453EC	111	DG156	72, 82	RAD105	12	RSD528	3, 27
CFH50	100	DG161	80	RAD106	12	RSW301	2
CFH6	109	DG164	80	RAD107	12	RSW302	2
CFH80	7, 32	DG167	80	RAD108	12	RSW401	2
CFH81	7, 32	DG168	80	RAD109	15	RSW402	2
CFH90	6, 19, 31	DG169	81	RAD110	15	RSW403	2
CFH92	6, 19, 31	DG170	81	RAD111	15	RSW404	2, 25
CFH93	6, 19, 31	DG171	81	RAD112	12	RSW406	4, 26
CFH94	6, 19, 31	DG172	80	RAD113	14	RSW407	5, 28
CFH95	6, 31	DG201	81	RAD114	14	RSW408	4, 26
CFH96	6, 20, 31	DG311	62	RAD115	16	RSW409	5, 28
CFH97	8	DG312	62	RAD116	16	RSW410	4, 26
CFH98	22, 33	DG313	62	RAD117	14	RSW411	5, 28
CFH99	22, 33	DG314	62	RAD118	14	RSW412	4, 26
CFP506	128	DG315	62	RAD120	13	RSW413	5, 28
CFP601	128	DG316	63	RAD121	13	RSW414	4, 26
CFP602	128	DG317	63	RAD122	13	RSW415	5, 28
CFP607	128	DG318	63	RAD123	13	RSW416	4, 27
CFP609	128	DG518 DG601	56	RAD123	15	RSW417	5, 29
CFP610	128	DG602	56	RAD124 RAD125	15	RSW417 RSW418	4, 26
CFP610 CFP611	128	DG603	56	RAD125 RAD126	15	RSW419	5, 28
CFP801	123	DG603	56	RAD126 RAD127	13	RSW419 RSW420	3, 28
CFP801 CFP803	123	FB018	129	RAD127 RAD128	13	RSW420 RSW421	3,30
CFP803 CFP804	123	FB018	129		14		3,30
				RAD129		RSW422	
CFP805	123	FB024	129	RAD130	11	RSW423	110
CFP806R	124	FLAT BAR	134	RAD131	11	SEALS SEO(1	118
CFP807	124	FOAM TABS	21, 32	RAD401	10	SF061	108
CFP809	124	H/WARE	121	RAD402	10	SHEET	135
CFP810	123	LF001	114	RAD404	10	SHROUDS	136, 137
CFP811	123	LF436	115	RAD601	10	SHS	132
CFP812	123	LV001	114	RAD603	11	WEDGES	116, 117

For more information and availability, please contact our office.

RAPID ALUMINIUM 27-29 Nathan Road Dandenong South VIC 3175

PH: +61 3 9792 0344

FAX: +61 3 9792 4954

www.rapidal.com.au

